

Automated Assume-Guarantee Reasoning for Omega-Regular Systems and Specifications

Sagar Chaki Arie Gurfinkel
Software Engineering Institute, Carnegie Mellon University

Abstract

We develop a learning-based automated Assume-Guarantee (AG) reasoning framework for verifying ω -regular properties of concurrent systems. We study the applicability of non-circular (**AG-NC**) and circular (**AG-C**) AG proof rules in the context of systems with infinite behaviors. In particular, we show that **AG-NC** is incomplete when assumptions are restricted to strictly infinite behaviors, while **AG-C** remains complete. We present a general formalization, called LAG, of the learning based automated AG paradigm. We show how existing approaches for automated AG reasoning are special instances of LAG. We develop two learning algorithms for a class of systems, called ∞ -regular systems, that combine finite and infinite behaviors. We show that for ∞ -regular systems, both **AG-NC** and **AG-C** are sound and complete. Finally, we show how to instantiate LAG to do automated AG reasoning for ∞ -regular, and ω -regular, systems using both **AG-NC** and **AG-C** as proof rules.

1 Introduction

Compositional reasoning [8, 13] is a widely used technique for tackling the *statespace explosion* problem while verifying concurrent systems. Assume-Guarantee (AG) is one of the most well-studied paradigms for compositional reasoning [19, 14]. In AG-style analysis, we infer global properties of a system from the results of local analysis on its components. Typically, to analyze a system component C locally, we use an appropriate “assumption”, a model of the rest of the system that reflects the behavior expected by C from its environment in order to operate correctly. The goal of the local analysis is then to establish that every assumption made is also “guaranteed” – hence Assume-Guarantee.

Since its inception [18, 16], the AG paradigm has been explored in several directions. However, a major challenge in automating AG reasoning is constructing appropriate assumptions. For realistic systems, such assumptions are often complicated, and, therefore, constructing them manually is impractical. In this context, Cobleigh et al. [9] proposed the use of learning to automatically construct appropriate assumptions to verify a system composed of finite automata against a finite automaton specification (i.e., to verify safety properties). They used the following sound and complete AG proof rule:

$$\frac{M_1 \parallel A \sqsubseteq S \quad M_2 \sqsubseteq A}{M_1 \parallel M_2 \sqsubseteq S}$$

where M_1, M_2, A and S are finite automata, \parallel is a parallel composition, and \sqsubseteq denotes language containment. The essential idea is to use the \mathbf{L}^* algorithm [2] to learn an assumption A that satisfies the premises of the rule, and implement the minimally adequate teacher required by \mathbf{L}^* via model-checking.

The learning-based automated AG paradigm has been extended in several directions [6, 1, 21]. However, the question of whether this paradigm is applicable to verifying ω -regular properties (i.e., liveness and safety) of reactive systems is open. In this paper, we answer this question in the affirmative. An automated AG framework requires: (i) an algorithm that uses queries and counterexamples to learn an appropriate assumption, and (ii) a set of sound and complete AG rules. Recently, a learning algorithm for ω -regular languages has been proposed by Farzan et al. [10]. However, to our knowledge, the AG proof rules have not been extended to ω -regular properties. This is the problem we address in this paper.

First, we study the applicability of non-circular (**AG-NC**) and circular (**AG-C**) AG proof rules in the context of systems with infinite behaviors. We assume that processes synchronize on shared events and proceeding asynchronously otherwise, i.e., as in CSP [15]. We prove that, in this context, **AG-NC** is sound but *incomplete* when restricted to languages with strictly infinite behaviors (e.g., ω -regular). This is surprising and interesting. In contrast, we show that **AG-C** is both sound and complete for ω -regular languages. *Second*, we extend our AG proof rules to systems and specifications expressible in ∞ -regular

languages (i.e., unions of regular and ω -regular languages). We show that both **AG-C** and **AG-NC** are sound and complete in this case. To the best of our knowledge, these soundness and completeness results are new. We develop two learning algorithms for ∞ -regular languages – one using a learning algorithm for ω -regular languages (see Theorem 8(a)) with an augmented alphabet, and another combining a learning algorithm for ω -regular languages with \mathbf{L}^* (see Theorem 8(b)) without alphabet augmentation. *Finally*, we present a very general formalization, called LAG, of the learning based automated AG paradigm. We show how existing approaches for automated AG reasoning are special instances of LAG. Furthermore, we show how to instantiate LAG to develop automated AG algorithms for ∞ -regular, and ω -regular, languages using both AG-NC and AG-C as proof rules.

The rest of the paper is structured as follows. We present the necessary background in Section 2. In Section 3, we review our model of concurrency. In Section 4, we study the soundness and completeness of AG rules, and present our LAG framework in Section 5. We conclude the paper with an overview of related work in Section 6.

2 Preliminaries

We write Σ^* and Σ^ω for the set of all finite and infinite words over Σ , respectively, and write Σ^∞ for $\Sigma^* \cup \Sigma^\omega$. We use the standard notation of regular expressions: λ for empty word, $a \cdot b$ for concatenation, a^* , a^+ , and a^ω for finite, finite and non-empty, and infinite repetition of a , respectively. When $a \in \Sigma^\omega$, we define $a \cdot b = a$. These operations are extended to sets in the usual way, e.g., $X \cdot Y = \{x \cdot y \mid x \in X \wedge y \in Y\}$.

Language. A language is a pair (L, Σ) such that Σ is an alphabet and $L \subseteq \Sigma^\infty$. The alphabet is an integral part of a language. In particular, $(\{a\}, \{a\})$ and $(\{a\}, \{a, b\})$ are different languages. However, for simplicity, we often refer to a language as L and mention Σ separately. For instance, we write “language L over alphabet Σ ” to mean the language (L, Σ) , and $\Sigma(L)$ to mean the alphabet of L . Union and intersection are defined as usual, but only for languages over the same alphabet. The complement of L , denoted \bar{L} , is defined as: $\bar{L} = \Sigma(L)^\infty \setminus L$. A finitary language (Σ^* -language) is a subset of Σ^* . An infinitary language (Σ^ω -language) is a subset of Σ^ω . For $L \subseteq \Sigma^\infty$, we write $*(L)$ for the finitary language $L \cap \Sigma^*$ and $\omega(L)$ for the infinitary language $L \cap \Sigma^\omega$. Note that $\Sigma(\bar{L}) = \Sigma(*(L)) = \Sigma(\omega(L)) = \Sigma(L)$.

Transition Systems. A labeled transition system (LTS) is a 4-tuple $M = (S, \Sigma, Init, \delta)$, where S is a finite set of states, Σ is an alphabet, $Init \subseteq S$ is the set of initial states, and $\delta \subseteq S \times \Sigma \times S$ is a transition relation. We write $s \xrightarrow{\alpha} s'$ for $(s, \alpha, s') \in \delta$, and $\Sigma(M)$ for Σ . M is deterministic if $|Init| \leq 1$, and $\forall s \in S. \forall \alpha \in \Sigma. |\{s' \mid s \xrightarrow{\alpha} s'\}| \leq 1$. A run r over a word $w = \alpha_0, \alpha_1, \dots \in \Sigma(M)^\infty$ is a sequence of states s_0, s_1, \dots , such that $\forall i \geq 0. s_i \xrightarrow{\alpha_i} s_{i+1}$. We write $First(r)$, $Last(r)$, and $Inf(r)$ to denote the first state of r , the last state of r (assuming $r \in S^*$), and states that occur infinitely often in r (assuming $r \in S^\omega$), respectively. We write $Run(w, M)$ for the set of runs of w on M .

Automata. A Finite Automaton (FA) is a 5-tuple $A = (S, \Sigma, Init, \delta, F)$, where $(S, \Sigma, Init, \delta)$ is an LTS and $F \subseteq S$ is a set of accepting states. The language accepted by A , $\mathcal{L}(A)$, is the set of all words $w \in \Sigma^*$ s.t. there exists a run r of w on A , with $First(r) \in Init \wedge Last(r) \in F$. A Büchi Automaton (BA) is a 5-tuple $B = (S, \Sigma, Init, \delta, F)$, where $(S, \Sigma, Init, \delta)$ is an LTS and $F \subseteq S$ is a set of accepting states. The language accepted by B , $\mathcal{L}(B)$, is the set of all words $w \in \Sigma^\omega$ s.t. there exists a run r of w on A with $First(r) \in Init \wedge Inf(r) \cap F \neq \emptyset$. A BA or FA is deterministic if its underlying LTS is deterministic.

Regularity. A language is regular (ω -regular) iff it is accepted by a FA (BA). A language $L \subseteq \Sigma^\infty$ is ∞ -regular iff $*(L)$ is regular and $\omega(L)$ is ω -regular. Deterministic FA (DFA) and non-deterministic FA (NFA) are equally expressive. Deterministic BA are strictly less expressive than non-deterministic BA.

Learning. A learning algorithm for a regular language is any algorithm that learns an unknown, but fixed, language U over a known alphabet Σ . Such an algorithm is called *active* if it works by querying a Minimally Adequate Teacher (MAT). The MAT can answer “Yes/No” to two types of queries about U :

Membership Query Given a word w , is $w \in U$?

Candidate Query Given an automaton B , is $\mathcal{L}(B) = U$? If the answer is “No”, the MAT returns a counterexample (CE), which is a word such that $CE \in \mathcal{L}(B) \ominus U$, where $X \ominus Y = (X \setminus Y) \cup (Y \setminus X)$.

An active learning algorithm begins by asking membership queries of the MAT until it constructs a candidate, with which it make a candidate query. If the candidate query is successful, the algorithm terminates; otherwise it uses the CE returned by the MAT to construct additional membership queries. The family of active learning algorithms was originated by Angluin via \mathbf{L}^* [2] for learning a minimal DFA that accepts an unknown regular language. \mathbf{L}^* was further optimized by Rivest and Schapire [20].

The problem of learning a *minimal* automaton which accept an unknown ω -regular language is still open. It is known [17] that for any language U one can learn in the limit an automaton that accepts U via the *identification by enumeration* approach proposed by Gold [12]. However, the automaton learned via enumeration may, in the worst case, be exponentially larger than the minimal automaton accepting U . Furthermore, there may be multiple minimal automata [17] accepting U . Maler et al. [17] have shown that \mathbf{L}^* can be extended to learn a minimal (Müller) automaton for a fragment of ω -regular languages.

Farzan et al. [10] show how to learn a Büchi automaton for an ω -regular language U . Specifically, they use \mathbf{L}^* to learn the language $U_\$ = \{u\$v \mid u \cdot v^\omega \in U\}$, where $\$$ is a fresh letter not in the alphabet of U . The language $U_\$$ was shown to be regular by Calbrix et al. [4]. In the sequel, we refer to this algorithm as $\mathbf{L}^\$$. The complexity of $\mathbf{L}^\$$ is exponential in the minimal BA for U . Our LAG framework can use any active algorithm for learning ω -regular languages. In particular, $\mathbf{L}^\$$ is an existing candidate.

3 Model of Concurrency

Let w be a word and Σ an arbitrary alphabet. We write $w \downarrow \Sigma$ for the projection of w onto Σ defined recursively as follows (recall that λ denotes the empty word):

$$\lambda \downarrow \Sigma = \lambda \qquad (a \cdot u) \downarrow \Sigma = \begin{cases} a \cdot (u \downarrow \Sigma) & \text{if } a \in \Sigma \\ u \downarrow \Sigma & \text{otherwise} \end{cases}$$

Clearly, both Σ^* and Σ^∞ are closed under projection, but Σ^ω is not. For example, $(a^* \cdot b^\omega \downarrow \{a\}) = a^*$, and a^* consists only of finite words. Projection preserves regularity. If L is a regular (∞ -regular) language and Σ is any alphabet, then $L \downarrow \Sigma$ is also regular (∞ -regular).

A process is modeled by a language of all of its behaviors (or computations). *Parallel composition* (\parallel) of two processes/languages synchronizes on common actions while executing local actions asynchronously. For languages (L_1, Σ_1) and (L_2, Σ_2) , $L_1 \parallel L_2$ is the language over $\Sigma_1 \cup \Sigma_2$ defined as follows:

$$L_1 \parallel L_2 = \{w \in (\Sigma_1 \cup \Sigma_2)^\infty \mid w \downarrow \Sigma_1 \in L_1 \wedge w \downarrow \Sigma_2 \in L_2\} \qquad (\text{def. of } \parallel)$$

Intuitively, $L_1 \parallel L_2$ consists of all permutations of words from L_1 and L_2 that have a common synchronization sequence. For example, $(b^* \cdot a \cdot b^*) \parallel (c^* \cdot a \cdot c^*)$ is $(b+c)^* \cdot a \cdot (b+c)^*$. Note that when L_1 and L_2 share an alphabet, the composition is their intersection; when their alphabets are disjoint, the composition is their language shuffle. The set of Σ^* , Σ^ω , and Σ^∞ languages are all closed under parallel composition.

Theorem 1. *The \parallel operator is associative, commutative, distributive over union and intersection. It is also monotone, i.e., for any two languages L_1, L_2 , and L_3 : $L_2 \subseteq L_3 \Rightarrow (L_1 \parallel L_2) \subseteq (L_1 \parallel L_3)$.*

Let L_1 and L_2 be two languages such that $\Sigma(L_1) \supseteq \Sigma(L_2)$. We say that L_1 is subsumed by L_2 , written $L_1 \preceq L_2$, if $L_1 \downarrow \Sigma(L_2) \subseteq L_2$. Let L_S be the language of a specification S , and L_M be the language of a system M . Then, M satisfies S , written $M \models S$, iff $L_M \preceq L_S$.

4 Proof Rules for Assume-Guarantee Reasoning

In this section, we study the applicability of a non-circular and a circular AG rule to proving properties of processes with infinite behaviors (e.g., reactive systems that neither terminate nor deadlock). These rules were shown to be sound and complete for systems with finite (i.e., in Σ^*) behaviors by Barringer et al. [3]. In Section 4.1, we show that the non-circular AG rule is sound for both Σ^∞ and Σ^ω behaviors. However, it is complete only when the assumptions are allowed to combine *both* finite and infinite behaviors (i.e., in Σ^∞). In Section 4.2, we show that the circular AG rule is sound and complete for Σ^ω and Σ^∞ behaviors.

4.1 Non-Circular Assume-Guarantee Rule

The non-circular AG proof rule (**AG-NC** for short) is stated as follows:

$$\frac{(L_1 \parallel L_A) \preceq L_S \quad L_2 \preceq L_A}{(L_1 \parallel L_2) \preceq L_S}$$

where L_1, L_2, L_S , and L_A are languages with the alphabets $\Sigma_1, \Sigma_2, \Sigma_S, \Sigma_A$, respectively, $\Sigma_S \subseteq (\Sigma_1 \cup \Sigma_2)$, and $\Sigma_A = (\Sigma_1 \cup \Sigma_S) \cap \Sigma_2$. **AG-NC** is known to be sound and complete for Σ^* -languages. Intuitively, it says that if there exists an assumption L_A such that: (a) L_1 composed with L_A is contained in L_S , and (b) L_2 is contained in L_A , then the composition of L_1 with L_2 is contained in L_S as well. Note that the alphabet Σ_A is the smallest alphabet containing: (a) actions at the interface between L_1 and L_2 , i.e., actions common to the alphabets of L_1 and L_2 , and (b) external actions of L_2 , i.e., actions common to the alphabets of L_2 and L_S . Any smaller alphabet makes the rule trivially incomplete; any larger alphabet exposes internal (i.e., non-external) actions of L_2 . It is not surprising that **AG-NC** remains sound even when applied to languages with infinite words. However, **AG-NC** is *incomplete* when L_A is restricted to Σ^ω -languages:

Theorem 2. *There exists $L_1, L_2, L_S \subseteq \Sigma^\omega$ such that $(L_1 \parallel L_2) \preceq L_S$, but there does not exist an assumption $L_A \subseteq \Sigma^\omega$ that satisfies all of the premises of **AG-NC**.*

Proof. By example. Let L_1, L_2, L_S , and their alphabets be defined as follows:

$$\Sigma_1 = \{a, b\} \quad \Sigma_2 = \{a, c\} \quad \Sigma_S = \{a, b\} \quad L_1 = (a + b)^\omega \quad L_2 = a^* c^\omega \quad L_S = (a + b)^* b^\omega$$

The conclusion of **AG-NC** rule is satisfied since $(L_1 \parallel L_2) \downarrow \Sigma_S = (a + b)^* b^\omega = L_S$. The alphabet Σ_A of L_A is $(\Sigma_1 \cup \Sigma_S) \cap \Sigma_2 = \{a\}$. Since $L_A \subseteq \Sigma_A^\omega$, it can only be a^ω or \emptyset . The only way to satisfy the first premise of **AG-NC** is to let $L_A = \emptyset$, but this is too strong to satisfy the second premise. \square

Note that the proof of Theorem 2 shows that **AG-NC** is incomplete even for ∞ -regular languages.

Remark 1. *One may conjecture that the **AG-NC** rule becomes complete for Σ^ω if subsumption is redefined to only consider infinite words. That is, by redefining subsumption as: $L_1 \preceq L_2 \Leftrightarrow \omega(L_1 \downarrow \Sigma(L_2)) \subseteq L_2$. However, under this interpretation, **AG-NC** is no longer sound. For example, let the languages L_1, L_2, L_S , and their alphabets be defined as follows:*

$$\Sigma_1 = \{a, b\} \quad \Sigma_2 = \{a, c\} \quad \Sigma_S = \{a, b\} \quad L_1 = (a + b)^\omega \quad L_2 = a^* c^\omega \quad L_S = b^\omega$$

*Then, the conclusion of **AG-NC** does not hold: $\omega((L_1 \parallel L_2) \downarrow \Sigma_S) = (a + b)^* b^\omega \not\subseteq b^\omega$. But $L_A = \emptyset$ satisfies both premises: $(L_1 \parallel L_A) = b^\omega$, and $\omega(L_2 \downarrow \{a\}) = L_A$.*

Remark 2. ***AG-NC** is complete if the alphabet Σ_A is redefined to be $\Sigma_1 \cup \Sigma_2$. However, in this case the rule is no longer “compositional” since the assumption L_A can be as expressive as the component L_2 .*

Intuitively, **AG-NC** is incomplete for Σ^ω because Σ^ω is not closed under projection. However, we show that the rule is complete for Σ^∞ – the smallest projection-closed extension of Σ^ω . We first show that for any languages L_1 and L_S , there always exists a unique weakest assumption L_A , such that $L_1 \parallel L_A \preceq L_S$.

Theorem 3. Let L_1 and L_S be two languages, and Σ_A be any alphabet s.t. $\Sigma(L_1) \cup \Sigma_A = \Sigma(L_1) \cup \Sigma(L_S)$. Then, $L_A = \{w \in \Sigma_A^\infty \mid (L_1 \parallel \{w\}) \preceq L_S\}$ satisfies $L_1 \parallel L_A \preceq L_S$, and is the weakest such assumption.

Proof. Let us write Σ_1, Σ_S and Σ_{1S} to mean $\Sigma(L_1), \Sigma(L_S)$ and $\Sigma(L_1) \cup \Sigma(L_S)$ respectively. To show that L_A is a valid assumption, pick any $w \in L_1 \parallel L_A$. Then $w \downarrow \Sigma_A \in L_A$. This implies that $w \downarrow \Sigma_S \in (L_1 \parallel \{w \downarrow \Sigma_A\}) \downarrow \Sigma_S \subseteq L_S$. Since w is any word in $L_1 \parallel L_A$, we have $L_1 \parallel L_A \preceq L_S$. To show that L_A is the weakest assumption, let $L'_A \subseteq \Sigma_A^\infty$ be any language such that $L_1 \parallel L'_A \preceq L_S$ and let w be any word in L'_A . Then, $(L_1 \parallel \{w\}) \subseteq (L_1 \parallel L'_A) \preceq L_S$. But this implies that $w \in L_A$, and, therefore, $L'_A \subseteq L_A$. \square

Note that Σ_A^∞ subsumes both finite (Σ_A^*) and infinite (Σ_A^ω) words. Thus, if L_A is a Σ_A^∞ weakest assumption, then $*(L_A)$ and $\omega(L_A)$ are the weakest Σ_A^* and Σ_A^ω assumptions, respectively.

Theorem 4. Let L_1, L_2, L_S , and L_A be in Σ^∞ . Then, the **AG-NC** rule is sound and complete.

Proof. The proof of soundness is trivial and is omitted. For the proof of completeness we only show the key step. Assume that $L_1 \parallel L_2 \preceq L_S$, and let L_A be the weakest assumption such that $L_1 \parallel L_A \preceq L_S$. By Theorem 3, L_A is well-defined and satisfies the first premise of **AG-NC**. The second premise holds because $L_2 \downarrow \Sigma_A \subseteq \Sigma_A^\infty$, and L_A is the weakest Σ_A^∞ assumption (see Theorem 3). \square

Theorem 4 implies that **AG-NC** is sound for any fragment of Σ^∞ . Of course, this is not true for completeness of the rule. For practical purposes, we would like to know that the rule remains complete when its languages are restricted to the regular subset. We show that this is so by showing that under the assumption that L_1 and L_S are regular, the weakest assumption is regular as well.

Theorem 5. Let L_1 and L_S be two languages, and Σ_A be any alphabet such that $\Sigma(L_1) \cup \Sigma_A = \Sigma(L_1) \cup \Sigma(L_S)$. Then, $L_A \subseteq \Sigma_A^\infty$ is the weakest assumption such that $L_1 \parallel L_A \preceq L_S$ iff $L_A = \overline{(L_1 \parallel \overline{L_S})} \downarrow \Sigma_A$.

Proof. Let us write Σ_1, Σ_S and Σ_{1S} to mean $\Sigma(L_1), \Sigma(L_S)$ and $\Sigma(L_1) \cup \Sigma(L_S)$, respectively. For any $w \in \Sigma_A^\infty$:

$$\begin{aligned} & w \in \overline{(L_1 \parallel \overline{L_S})} \downarrow \Sigma_A \quad \mathbf{iff} \quad \forall w' \in \Sigma_{1S}^\infty. \{w'\} \preceq \{w\} \implies w' \notin (L_1 \parallel \overline{L_S}) \\ \mathbf{iff} \quad & \forall w' \in \Sigma_{1S}^\infty. \{w'\} \preceq \{w\} \implies (\{w'\} \not\preceq L_1 \vee \{w'\} \preceq L_S) \\ \mathbf{iff} \quad & \forall w' \in \Sigma_{1S}^\infty. (\{w'\} \preceq \{w\} \wedge \{w'\} \preceq L_1) \implies \{w'\} \preceq L_S \\ \mathbf{iff} \quad & \forall w' \in \Sigma_{1S}^\infty. (\{w'\} \preceq (L_1 \parallel \{w\})) \implies \{w'\} \preceq L_S \quad \mathbf{iff} \quad L_1 \parallel \{w\} \preceq L_S \end{aligned}$$

Together with Theorem 3, this completes the proof. \square

Theorem 5 implies **AG-NC** is complete for any class of languages closed under complementation and projection, e.g., regular and ∞ -regular languages. In addition, Theorem 5 implies that learning-based automated AG reasoning is effective for any class of languages whose weakest assumptions fall in a “learnable” fragment. In particular, this holds for regular, ω -regular and ∞ -regular languages.

4.2 Circular Assume-Guarantee Rule

The Circular Assume-Guarantee proof rule (**AG-C** for short) is stated as follows:

$$\frac{(L_1 \parallel L_{A1}) \preceq L_S \quad (L_2 \parallel L_{A2}) \preceq L_S \quad (\overline{L_{A1}} \parallel \overline{L_{A2}}) \preceq L_S}{(L_1 \parallel L_2) \preceq L_S}$$

where L_1, L_2 , and L_S are languages over alphabets $\Sigma_1, \Sigma_2, \Sigma_S$, respectively; $\Sigma_S \subseteq \Sigma_1 \cup \Sigma_2$, and L_{A1} and L_{A2} share a common alphabet $\Sigma_A = (\Sigma_1 \cap \Sigma_2) \cup \Sigma_S$. **AG-C** is known to be sound and complete for Σ^* -languages. Note that in comparison with **AG-NC**, there are two assumptions L_{A1} and L_{A2} over a larger alphabet Σ_A . Informally, the rule is sound for the following reason. Let w be a word in $L_1 \parallel L_2$, and $u = w \downarrow \Sigma_A$. Then $u \in L_{A1}$, or $u \in L_{A2}$, or $u \in \overline{L_{A1}} \cup \overline{L_{A2}} = (\overline{L_{A1}} \parallel \overline{L_{A2}})$. If $u \in L_{A1}$ then the first premise implies that $\{w\} \preceq L_1 \parallel \{u\} \preceq L_S$; if $u \in L_{A2}$ then the second premise implies that $\{w\} \preceq L_2 \parallel \{u\} \preceq L_S$; otherwise, the third premise implies that $\{w\} \preceq \{u\} \preceq L_S$.

Remark 3. Note that the assumption alphabet for **AG-C** is larger than **AG-NC**. In fact, using $\Sigma_{A1} = (\Sigma_1 \cup \Sigma_S) \cap \Sigma_2$ and $\Sigma_{A2} = (\Sigma_2 \cup \Sigma_S) \cap \Sigma_1$ makes **AG-C** incomplete. Indeed, let $L_1 = \{aa\}$ with $\Sigma_1 = \{a\}$, $L_2 = \{bb\}$ with $\Sigma_2 = \{b\}$ and $\overline{L_S} = \{aab, abb, ab\}$. Note that $L_1 || L_2 \preceq L_S$. We show that no L_{A1} and L_{A2} can satisfy the three premises of **AG-C**. Premise 1 $\Rightarrow b \notin L_{A1} \Rightarrow b \in \overline{L_{A1}}$. Similarly, premise 2 $\Rightarrow a \notin L_{A2} \Rightarrow a \in \overline{L_{A2}}$. But then $ab \in \overline{L_{A1}} || \overline{L_{A2}}$, violating premise 3.

In this section, we show that **AG-C** is sound and complete for both Σ^ω and Σ^∞ languages. First, we illustrate an application of the rule to the example from the proof of Theorem 2. Let L_1, L_2 , and L_S be Σ^ω languages as defined in the proof of Theorem 2. In this case, the alphabet Σ_A is $\{a, b\}$. Letting $L_{A1} = (a+b)^*b^\omega$, and $L_{A2} = (a+b)^\omega$ satisfies all three premises of the rule.

Theorem 6. Let L_1, L_2, L_S, L_{A1} , and L_{A2} be in Σ^ω or Σ^∞ . Then, the **AG-C** rule is sound and complete.

Proof. The proof of soundness is sketched in the above discussion. For the proof of completeness we only show the key steps. Assume that $L_1 || L_2 \preceq L_S$. Let L_{A1} and L_{A2} be the weakest assumptions such that $L_1 || L_{A1} \preceq L_S$, and $L_2 || L_{A2} \preceq L_S$, respectively. By Theorem 3, both L_{A1} and L_{A2} are well-defined and satisfy the first and the second premises of **AG-C**, respectively. We prove the third premise by contradiction. Since L_{A1} and L_{A2} have the same alphabet, $(\overline{L_{A1}} || \overline{L_{A2}}) = (\overline{L_{A1}} \cap \overline{L_{A2}})$. Assume that $(\overline{L_{A1}} \cap \overline{L_{A2}}) \not\preceq L_S$. Then, there exists a word $w \in (\overline{L_{A1}} || \overline{L_{A2}})$ such that $w \notin L_{A1}$, and $w \notin L_{A2}$, and $w \downarrow \Sigma_S \notin L_S$. By the definition of weakest assumption (see Theorem 3), $L_1 || \{w\} \not\preceq L_S$ and $L_2 || \{w\} \not\preceq L_S$. Pick any $w_1 \in L_1 || \{w\}$ and $w_2 \in L_2 || \{w\}$. Let $w'_1 = w_1 \downarrow \Sigma_1$ and $w'_2 = w_2 \downarrow \Sigma_2$. We know that $\{w'_1\} || \{w'_2\} \subseteq L_1 || L_2$. Also, $w \in (\{w'_1\} || \{w'_2\}) \downarrow \Sigma_A$. Now since $\{w'_1\} || \{w'_2\} \subseteq L_1 || L_2$, we have $w \in (L_1 || L_2) \downarrow \Sigma_A$. Since $\Sigma_S \subseteq \Sigma_A$, $w \downarrow \Sigma_S \in (L_1 || L_2) \downarrow \Sigma_S$. But $w \downarrow \Sigma_S \notin L_S$, which contradicts $L_1 || L_2 \preceq L_S$. \square

The completeness part of the proof of Theorem 6 is based on the existence of the weakest assumption. We already know from Theorem 5, that the weakest assumption is (∞, ω) -regular if L_1, L_2 , and L_S are (∞, ω) -regular, respectively. Thus, **AG-C** is complete for (∞, ω) -regular languages. Since **AG-NC** is incomplete for ω -regular languages, a learning algorithm for ω -regular languages (such as \mathbf{L}^S) cannot be applied directly for AG reasoning for ω -regular systems and specifications. In the next section, we overcome this challenge by developing automated AG algorithms for ∞ -regular and ω -regular languages.

5 Automated Assume-Guarantee Reasoning

In this section, we present our LAG framework, and its specific useful instances. LAG uses membership oracles, learners, and checkers, which we describe first.

Definition 1 (Membership Oracle and Learner). A membership oracle Q for a language U over alphabet Σ is a procedure that takes as input a word $u \in \Sigma^\infty$ and returns 0 or 1 such that $Q(u) = 1 \iff u \in U$. We say that $Q \models U$. The set of all membership oracles is denoted by **Oracle**. Let \mathcal{A} be any set of automata. We write **Learner** $_{\mathcal{A}}$ to denote the set of all learners of type \mathcal{A} . Formally, a learner of type \mathcal{A} is a pair **(Cand, LearnCE)** such that: (i) **Cand : Oracle** $\mapsto \mathcal{A}$ is a procedure that takes a membership oracle as input and outputs a candidate $C \in \mathcal{A}$, and (ii) **LearnCE : $\Sigma^\infty \mapsto \mathbf{Learner}_{\mathcal{A}}$** is a procedure that takes a counterexample as input and returns a new learner of type \mathcal{A} . For any learner $P = \mathbf{(Cand, LearnCE)}$ we write $P.\mathbf{Cand}$ and $P.\mathbf{LearnCE}$ to mean **Cand** and **LearnCE** respectively.

Intuitively, a membership oracle is the fragment of a MAT that only answers membership queries, while a learner encapsulates an active learning algorithm that is able to construct candidates via membership queries, and learn from counterexamples of candidate queries.

Learning. Let U be any unknown language, Q be an oracle, and P be a learner. We say that (P, Q) learns U if the following holds: if $Q \models U$, then there does not exist an infinite sequence of learners P_0, P_1, \dots and an infinite sequence of counterexamples CE_1, CE_2, \dots such that: (i) $P_0 = P$, (ii) $P_i = P_{i-1}.\mathbf{LearnCE}(CE_i)$ for $i > 0$, and (iii) $CE_i \in \mathcal{L}(P_{i-1}.\mathbf{Cand}(Q)) \ominus U$ for $i > 0$.

```

Input:  $P_1 \dots P_k : \text{Learner}_{\mathcal{A}}; Q_1, \dots, Q_k : \text{Oracle}; V : \text{Checker}_{(\mathcal{A}, k)}$ 
forever do
  for  $i = 1$  to  $k$  do  $C_i := P_i.\text{Cand}(Q_i)$ 
   $R := V(C_1, \dots, C_k)$ 
  if  $(R = (\text{FEEDBACK}, i, CE))$  then  $P_i := P_i.\text{LearnCE}(CE)$  else return  $R$ 

```

Figure 1: Algorithm for overall LAG procedure.

Definition 2 (Checker). Let \mathcal{A} be a set of automata, and k be an integer denoting the number of candidates. A checker of type (\mathcal{A}, k) is a procedure that takes as input k elements A_1, \dots, A_k of \mathcal{A} and returns either (i) **SUCCESS**, or (ii) a pair $(\text{FAILURE}, CE)$ such that $CE \in \Sigma^\infty$, or (iii) a triple $(\text{FEEDBACK}, i, CE)$ such that $1 \leq i \leq k$ and $CE \in \Sigma^\infty$. We write $\text{Checker}_{(\mathcal{A}, k)}$ to mean the set of all checkers of type (\mathcal{A}, k) .

Intuitively, a checker generalizes the fragment of a MAT that responds to candidate queries by handling multiple (specifically, k) candidates. This generalization is important for circular proof rules. The checker has three possible outputs: (i) **SUCCESS** if the overall verification succeeds; (ii) $(\text{FAILURE}, CE)$ where CE is a real counterexample; (iii) $(\text{FEEDBACK}, i, CE)$ where CE is a counterexample for the i -th candidate.

5.1 LAG Procedure

Our overall LAG procedure is presented in Fig. 1. We write $X : T$ to mean that “ X is of type T ”. LAG accepts a set of k membership oracles, k learners, and a checker, and repeats the following steps:

1. Constructs candidate automata C_1, \dots, C_k using the learners and oracles.
2. Invokes the checker with the candidates constructed in Step 1 above.
3. If the checker returns **SUCCESS** or $(\text{FAILURE}, CE)$, then exits with this result. Otherwise, updates the appropriate learner with the feedback and repeats from Step 1.

Theorem 7. LAG terminates if there exists languages U_1, \dots, U_k such that: (i) $Q_i \models U_i$ for $1 \leq i \leq k$, (ii) (P_i, Q_i) learns U_i for $1 \leq i \leq k$, and (iii) if $V(C_1, \dots, C_k) = (\text{FEEDBACK}, i, CE)$, then $CE \in \mathcal{L}(C_i) \ominus U_i$.

Proof. By contradiction. If LAG does not terminate there exists some P_i such that $P_i.\text{LearnCE}$ is called infinitely often. This, together with assumptions (i) and (iii), contradicts (ii), i.e., (P_i, Q_i) learns U_i . \square

5.2 Oracle, Learner, and Checker Instantiations

We now describe various implementations of oracles, learners and checkers. We start with the notion of an oracle for weakest assumptions.

Oracle for Weakest Assumption. Let L_1, L_S be any languages and Σ be any alphabet. We write $Q(L_1, L_S, \Sigma)$ to denote the oracle such that $Q(L_1, L_S, \Sigma) \models (L_1 \parallel \overline{L_S}) \downarrow \Sigma$. $Q(L_1, L_S, \Sigma)$ is typically implemented via model checking since, by Theorems 3 and 5, $Q(L_1, L_S, \Sigma)(u) = 1 \iff u \in \Sigma^\infty \wedge L_1 \parallel \{u\} \preceq L_S$.

Learner Instantiations. In general, a learner $P(\mathbf{L})$ is derived from an active learning algorithm \mathbf{L} as follows: $P(\mathbf{L}) = (\text{Cand}, \text{LearnCE})$ s.t. **Cand** = part of \mathbf{L} that constructs a candidate using membership queries, and **LearnCE** = part of \mathbf{L} that learns from a counterexample to a candidate query.

Non-circular Checker. Let \mathcal{A} be a type of automata, and L_1, L_2 and L_S be any languages. Then $V_{NC}(L_1, L_2, L_S)$ is the checker of type $(\mathcal{A}, 1)$ defined in Fig. 2. Note that $V_{NC}(L_1, L_2, L_S)$ is based on the **AG-NC** proof rule. The following proposition about $V_{NC}(L_1, L_2, L_S)$ will be used later.

Proposition 1. If $V_{NC}(L_1, L_2, L_S)(A)$ returns **SUCCESS**, then $L_1 \parallel L_2 \preceq L_S$. Otherwise, if $V_{NC}(L_1, L_2, L_S)(A)$ returns $(\text{FAILURE}, CE)$, then CE is a valid counterexample to $L_1 \parallel L_2 \preceq L_S$. Finally, if $V_{NC}(L_1, L_2, L_S)(A)$ returns $(\text{FEEDBACK}, 1, CE)$, then $CE \in \mathcal{L}(A) \ominus (L_1 \parallel \overline{L_S}) \downarrow \Sigma$.

Checker: $V_{NC}(L_1, L_2, L_S)$	Checker: $V_C(L_1, L_2, L_S)$
<pre> Input: $A : \mathcal{A}$ if $(L_1 \parallel \mathcal{L}(A)) \preceq L_S$ then if $L_2 \preceq \mathcal{L}(A)$ then return SUCCESS else let w be a CEX to $L_2 \preceq \mathcal{L}(A)$ if $L_1 \parallel \{w\} \preceq L_S$ then return (FEEDBACK, 1, $w \downarrow \Sigma(A)$) else let w' be a CEX to $L_1 \parallel \{w\} \preceq L_S$ return (FAILURE, w') else let w be a CEX to $(L_1 \parallel \mathcal{L}(A)) \preceq L_S$ return (FEEDBACK, 1, $w \downarrow \Sigma(A)$) </pre>	<pre> Input: $A_1, A_2 : \mathcal{A}$ for $i = 1, 2$ do if $L_i \parallel \mathcal{L}(A_i) \not\preceq L_S$ then let w be a CEX to $L_i \parallel \mathcal{L}(A_i) \preceq L_S$ return (FEEDBACK, $i, w \downarrow \Sigma_A$) if $\overline{\mathcal{L}(A_1)} \parallel \overline{\mathcal{L}(A_2)} \preceq L_S$ then return SUCCESS else let w be a CEX to $\overline{\mathcal{L}(A_1)} \parallel \overline{\mathcal{L}(A_2)} \preceq L_S$ for $i = 1, 2$ do if $L_i \parallel \{w\} \preceq L_S$ then return (FEEDBACK, $i, w \downarrow \Sigma_A$) else let w_i be a CEX to $L_i \parallel \{w\} \preceq L_S$ pick $w' \in \{w_1\} \parallel \{w_2\}$ return (FAILURE, w') </pre>

 Figure 2: V_{NC} – a checker based on **AG-NC**; V_C – a checker based on **AG-C**.

Circular Checker. Let \mathcal{A} be a type of automata, and L_1, L_2 and L_S be any languages. Then $V_C(L_1, L_2, L_S)$ is the checker of type $(\mathcal{A}, 2)$ defined in Fig. 2. Note that $V_C(L_1, L_2, L_S)$ is based on the **AG-C** proof rule. The following proposition about $V_C(L_1, L_2, L_S)$ will be used later.

Proposition 2. *If $V_C(L_1, L_2, L_S)(A_1, A_2)$ returns **SUCCESS**, then $L_1 \parallel L_2 \preceq L_S$. Otherwise, if $V_C(L_1, L_2, L_S)(A_1, A_2)$ returns **(FAILURE, CE)**, then **CE** is a valid counterexample to $L_1 \parallel L_2 \preceq L_S$. Finally, if $V_C(L_1, L_2, L_S)(A_1, A_2)$ returns **(FEEDBACK, i, CE)**, then $CE \in \mathcal{L}(A_i) \ominus (L_i \parallel \overline{L_S}) \downarrow \Sigma$.*

5.3 LAG Instantiations

In this section, we present several instantiations of LAG for checking $L_1 \parallel L_2 \preceq L_S$. Our approach extends to systems with finitely many components, as for example in [9, 3].

Existing Work as LAG Instances: Regular Trace Containment. Table 1 instantiates LAG for existing learning-based algorithms for AG reasoning. The first row corresponds to the work of Cobleigh et al. [9]; its termination and correctness follow from Theorem 7, Proposition 1, and the fact that (P_1, Q_1) learns the language $\overline{(L_1 \parallel \overline{L_S})} \downarrow \Sigma$. The second row corresponds to Barringer et al. [3]; its termination and correctness follow from Theorem 7, Proposition 2, and the fact that (P_i, Q_i) learns $(L_i \parallel \overline{L_S}) \downarrow \Sigma$ for $i \in \{1, 2\}$.

New Contribution: Learning Infinite Behavior. Let \mathbf{L}^ω be any active learning algorithm for ω -regular languages (e.g., \mathbf{L}^\S). Since **AG-NC** is incomplete for ω -regular languages, \mathbf{L}^ω is not applicable directly in this context. On the other hand, both **AG-NC** and **AG-C** are sound and complete for ∞ -regular languages. Therefore, a learning algorithm for ∞ -regular languages yields LAG instances for systems with infinite behavior. We now present two such algorithms. The first (see Theorem 8 (a)) uses \mathbf{L}^ω only, but augments the assumption alphabet. The second (see Theorem 8(b)) combines \mathbf{L}^ω and \mathbf{L}^* , but leaves the assumption alphabet unchanged. We present both schemes since neither is objectively superior.

Theorem 8. *We can learn a ∞ -regular language U using a MAT for U in two ways: (a) using only \mathbf{L}^ω but with alphabet augmentation, and (b) without alphabet augmentation, but using both \mathbf{L}^* and \mathbf{L}^ω .*

Proof. Part(a): Let Σ be the alphabet of U . We use \mathbf{L}^ω to learn an ω -regular language U' over the alphabet $\Sigma' = \Sigma \cup \{\tau\}$ such that $U' \downarrow \Sigma = U$, and $\tau \notin \Sigma$. Let $U' = U \cdot \tau^\omega$. We assume that the MAT X for U accepts membership queries of the form $(M_1, M_2) \in \text{DFA} \times \text{BA}$, and returns “Yes” if $U = \mathcal{L}(M_1) \cup \mathcal{L}(M_2)$, and a **CE** otherwise. Then, a MAT for U' is implemented using X as follows: (i) **Membership:** $u \in U'$ iff $u \in \Sigma^\infty \cdot \tau^\omega \wedge u \downarrow \Sigma \in U$, where $u \downarrow \Sigma \in U$ is decided using X ; (ii) **Candidate**

Conformance	Rule	\mathcal{A}	Learner(s)	Oracle(s)	Checker
Regular Trace Containment	AG-NC [9]	DFA	$P_1 = P(\mathbf{L}^*)$	$Q_1 = Q(L_1, L_S, \Sigma_{NC})$	$V_{NC}(L_1, L_2, L_S)$
Regular Trace Containment	AG-C [3]	DFA	$P_1 = P_2 = P(\mathbf{L}^*)$	$Q_1 = Q(L_1, L_S, \Sigma_C)$ $Q_2 = Q(L_2, L_S, \Sigma_C)$	$V_C(L_1, L_2, L_S)$
∞ -regular Trace Containment	AG-NC	DFA \times BA	$P_1 = P(\mathbf{L})$	$Q_1 = Q(L_1, L_S, \Sigma_{NC})$	$V_{NC}(L_1, L_2, L_S)$
∞ -regular Trace Containment	AG-C	DFA \times BA	$P_1 = P_2 = P(\mathbf{L})$	$Q_1 = Q(L_1, L_S, \Sigma_C)$ $Q_2 = Q(L_2, L_S, \Sigma_C)$	$V_C(L_1, L_2, L_S)$
ω -regular Trace Containment	AG-NC	DFA \times BA	$P_1 = P(\mathbf{L})$	$Q_1 = Q(L_1, L_S, \Sigma_{NC})$	$V_{NC}(L_1, L_2, L_S)$
ω -regular Trace Containment	AG-C	BA	$P_1 = P_2 = P(\mathbf{L}^\omega)$	$Q_1 = Q(L_1, L_S, \Sigma_C)$ $Q_2 = Q(L_2, L_S, \Sigma_C)$	$V_C(L_1, L_2, L_S)$

Table 1: Existing learning-based AG algorithms as instances of LAG; $\Sigma_{NC} = (\Sigma(L_1) \cup \Sigma(L_S)) \cap \Sigma(L_2)$; $\Sigma_C = (\Sigma(L_1) \cap \Sigma(L_2)) \cup \Sigma(L_S)$; \mathbf{L} is a learning algorithm from Theorem 8.

with C' : If $\mathcal{L}(C') \not\subseteq \Sigma^\infty \cdot \tau^\omega$, return $CE' \in \mathcal{L}(C') \setminus \Sigma^\infty \cdot \tau^\omega$. Otherwise, make a candidate query to X with (M_1, M_2) such that $\mathcal{L}(M_1) = *(C' \downarrow \Sigma)$ and $\mathcal{L}(M_2) = \omega(C' \downarrow \Sigma)$, and turn any CE to $CE' = CE \cdot \tau^\omega$.

Part(b): We use \mathbf{L}^* to learn $*(U)$ and \mathbf{L}^ω to learn $\omega(U)$. We assume that the MAT X for U accepts membership queries of the form $(M_1, M_2) \in \text{DFA} \times \text{BA}$, and returns “Yes” if $U = \mathcal{L}(M_1) \cup \mathcal{L}(M_2)$, and a CE otherwise. We run \mathbf{L}^* and \mathbf{L}^ω concurrently, and iterate the two next steps: (1) answer membership queries with X until we get candidates M_1 and M_2 from \mathbf{L}^* and \mathbf{L}^ω respectively; (2) make candidate query (M_1, M_2) to X ; return any finite (infinite) CE back to \mathbf{L}^* (\mathbf{L}^ω); repeat from Step 1. \square

LAG instances for ∞ -regular Trace Containment. Suppose that L_1, L_2 and L_S are ∞ -regular and we wish to verify $L_1 \parallel L_2 \preceq L_S$. The third row of Table 1 show how to instantiate LAG to solve this problem using **AG-NC**. This instance of LAG terminates with the correct result due to Theorem 7, Proposition 1, and the fact that (P_1, Q_1) learns $\overline{(L_1 \parallel L_S)} \downarrow \Sigma$. The fourth row of Table 1 show how to instantiate LAG to solve this problem using **AG-C**. This instance of LAG terminates correctly due to Theorem 7, Proposition 2, and because (P_i, Q_i) learns $\overline{(L_i \parallel L_S)} \downarrow \Sigma$ for $i \in \{1, 2\}$.

LAG instances for ω -regular Trace Containment. Suppose that L_1, L_2 and L_S are ω -regular and we wish to check $L_1 \parallel L_2 \preceq L_S$. When using **AG-NC**, restricting assumptions to ω -regular languages is incomplete (cf. Theorem 2). Hence, the situation is the same as for ∞ -regular languages (cf. row 5 of Table 1). When using **AG-C**, restricting assumptions to be ω -regular is complete (cf. Theorem 6). Hence, we use \mathbf{L}^ω without augmenting the assumption alphabet, as summarized in row 6 of Table 1. This is a specific benefit of the restriction to ω -regular languages. This instance terminates with the correct result due to Theorem 7, Proposition 2, and because (P_i, Q_i) learns $\overline{(L_i \parallel L_S)} \downarrow \Sigma$ for $i \in \{1, 2\}$.

6 Related Work and Conclusion

Automated AG reasoning with automata-based learning was pioneered by Cobleigh et al. [9] for checking safety properties of finite state systems. In this context, Barringer et al. [3] investigate the soundness and completeness of a number of decomposition proof rules, and Wang [23] proposed a framework for automatic derivation of sound decomposition rules. Here, we extend the AG reasoning paradigm to arbitrary ω -regular properties (i.e., both safety and liveness) using both non-circular and circular rules.

The idea behind (particular instances of) Theorem 5 is used implicitly in almost all existing work on automated assume-guarantee reasoning [9, 6, 7]. However, we are not aware of an explicit closed-form treatment of the weakest assumption in a general setting such as ours.

The learning-based automated AG reasoning paradigm has been extended to check simulation [5] and

deadlock [6]. Alur et al. [1], and Sinha et al. [21], have investigated symbolic and lazy SAT-based implementations, respectively. Tsay and Wang [22] show that verification of safety properties of ∞ -regular systems is reducible to the standard AG framework. In contrast, our focus is on the verification of arbitrary ω -regular-properties of ω -regular-systems.

In summary, we present a very general formalization, called LAG, of the learning-based automated AG paradigm. We instantiate LAG to verify ω -regular properties of reactive systems with ω -regular behavior. We also show how existing approaches for automated AG reasoning are special instances of LAG. In addition, we prove the soundness and completeness of circular and non-circular AG proof rules in the context of ω -regular languages. Recently, techniques to reduce the number of queries [7], and refine the assumption alphabet [11], have been proposed in the context of using automated AG to verify safety properties. We believe that these techniques are applicable for ω -regular-properties as well.

References

- [1] R. Alur, P. Madhusudan, and W. Nam. Symbolic Compositional Verification by Learning Assumptions. In *Procs. of CAV '05*, volume 3576 of *LNCS*, pages 548–562. Springer, July 2005.
- [2] D. Angluin. Learning Regular Sets from Queries and Counterexamples. *Inf. Comput.*, 75(2):87–106, 1987.
- [3] H. Barringer, D. Giannakopoulou, and C. S. Păsăreanu. Proof Rules for Automated Compositional Verification Through Learning. In *Procs. of SAVCBS '03*, pages 14–21, Sept. 2003.
- [4] H. Calbrix, M. Nivat, and A. Podelski. Ultimately Periodic Words of Rational ω -Languages. In *Proc. of MPFS'93*, 1993.
- [5] S. Chaki, E. M. Clarke, N. Sinha, and P. Thati. Automated Assume-Guarantee Reasoning for Simulation Conformance. In *Procs. of CAV '05*, volume 3576 of *LNCS*, pages 534–547. Springer, July 2005.
- [6] S. Chaki and N. Sinha. Assume-Guarantee Reasoning for Deadlock. In *Procs. of FMCAD '06*.
- [7] S. Chaki and O. Strichman. Optimized L* for Assume-Guarantee Reasoning. In *Procs. of TACAS '07*.
- [8] E. Clarke, D. Long, and K. McMillan. Compositional Model Checking. In *Procs. of LICS '89*.
- [9] J. M. Cobleigh, D. Giannakopoulou, and C. S. Păsăreanu. Learning Assumptions for Compositional Verification. In *Procs. of TACAS '03*, volume 2619 of *LNCS*, pages 331–346. Springer, Apr. 2003.
- [10] A. Farzan, Y. Chen, E. Clarke, Y. Tsan, and B. Wang. Extending Automated Compositional Verification to the Full Class of Omega-Regular Languages. In *Procs. of TACAS '08*. Springer, 2008.
- [11] M. Gheorghiu, D. Giannakopoulou, and C. S. Păsăreanu. Refining Interface Alphabets for Compositional Verification. In *Procs. of TACAS '07*, volume 4424 of *LNCS*, pages 292–307. Springer, Mar. 2007.
- [12] E. M. Gold. Language Identification in the Limit. *Information and Control*, 10(5):447–474, May 1967.
- [13] O. Grumberg and D. Long. Model Checking and Modular Verification. *TOPLAS*, 16(3):843–871, May 1994.
- [14] T. A. Henzinger, S. Qadeer, and S. K. Rajamani. Decomposing Refinement Proofs Using Assume-Guarantee Reasoning. In *Procs. of ICCAD '00*, pages 245–252. IEEE, Nov. 2000.
- [15] C. A. R. Hoare. *Communicating Sequential Processes*. Prentice Hall, 1985.
- [16] C. B. Jones. Specification and Design of (Parallel) Programs. In *Proceedings of the 9th IFIP World Congress*, volume 83 of *Information Processing*, pages 321–332, September 1983.
- [17] O. Maler and A. Pnueli. On the Learnability of Infinitary Regular Sets. *Inf. Comput.*, 118(2):316–326, 1995.
- [18] J. Misra and K. M. Chandy. Proofs of Networks of Processes. *TSE*, 7(4):417–426, July 1981.
- [19] A. Pnueli. In Transition from Global to Modular Temporal Reasoning About Programs. *Logics and Models of Concurrent Systems*, 13:123–144, 1985.
- [20] R. Rivest and R. Schapire. Inference of Finite Automata Using Homing Sequences. *Inf. Comput.*, 103, 1993.
- [21] N. Sinha and E. Clarke. SAT-based Compositional Verification Using Lazy Learning. In *Procs. of CAV '07*.
- [22] Y.-K. Tsay and B.-Y. Wang. Automated Compositional Reasoning of Intuitionistically Closed Regular Properties. In *Procs. of CIAA'08*, pages 36–45, 2008.
- [23] B.-Y. Wang. Automatic Derivation of Compositional Rules in Automated Compositional Reasoning. In *Procs. of CONCUR'07*, pages 303–316, 2007.