

Rewriting Modulo SMT and Open System Analysis

Camilo Rocha¹, José Meseguer², and César Muñoz³

Escuela Colombiana de Ingeniería, Bogotá, Colombia
University of Illinois at Urbana-Champaign, Urbana IL, USA
NASA Langley Research Center, Hampton VA, USA

Abstract. This paper proposes *rewriting modulo SMT*, a new technique that combines the power of SMT solving, rewriting modulo theories, and model checking. Rewriting modulo SMT is ideally suited to model and analyze infinite-state *open systems*, i.e., systems that interact with a non-deterministic environment. Such systems exhibit both internal non-determinism, which is proper to the system, and external non-determinism, which is due to the environment. In a reflective formalism, such as rewriting logic, rewriting modulo SMT can be reduced to standard rewriting. Hence, rewriting modulo SMT naturally extends rewriting-based reachability analysis techniques, which are available for closed systems, to open systems. The proposed technique is illustrated with the formal analysis of a real-time system that is beyond the scope of timed-automata methods.

1 Introduction

Symbolic techniques can be used to represent possibly infinite sets of states by means of symbolic constraints. These techniques have been developed and adapted to many other verification methods such as SAT solving, Satisfiability Modulo Theories (SMT), rewriting, and model checking. A key open research issue of current symbolic techniques is extensibility. Techniques that combine different methods have been proposed, e.g., decision procedures [28, 29], unifications algorithms [7, 11], theorem provers with decision procedures [1, 10, 32], and SMT solvers in model checkers [3, 18, 27, 36, 38]. However, there is still a lack of general extensibility techniques for symbolic analysis that simultaneously combine the power of SMT solving, rewriting- and narrowing-based analysis, and model checking.

This paper proposes a new symbolic technique that seamlessly combines rewriting modulo theories, SMT solving, and model checking. For brevity, this technique is called *rewriting modulo SMT*, although it could more precisely be called *rewriting modulo SMT+B*, where B is an equational theory having a matching algorithm. It complements another symbolic technique combining narrowing modulo theories and model checking, namely narrowing-based reachability analysis [8, 26]. Neither of these two techniques subsumes the other.

Rewriting modulo SMT can be applied to increase the power of equational reasoning, e.g., [16, 17, 21], but its full power, including its model checking capabilities, is better exploited when applied to concurrent open systems. Deterministic systems can be naturally specified by equational theories, but specification of concurrent, non-deterministic

systems requires rewrite theories [24], i.e., triples $\mathcal{R} = (\Sigma, E, R)$ with (Σ, E) an equational theory describing system states as elements of the initial algebra $\mathcal{T}_{\Sigma/E}$, and R rewrite rules describing the system's local concurrent transitions. An *open system* is a concurrent system that interacts with an external, non-deterministic environment. When such a system is specified by a rewrite theory $\mathcal{R} = (\Sigma, E, R)$, it has two sources of non-determinism, one internal and the other external. Internal non-determinism comes from the fact that in a given system state different instances of rules in R may be enabled. The local transitions thus enabled may lead to completely different states. What is peculiar about an open system is that it also has external, and often infinitely-branching, non-determinism due to the environment. That is, the state of an open system must include the state changes due to the environment. Technically, this means that, while a system transition in a closed system can be described by a rewrite rule $t \rightarrow t'$ with $\text{vars}(t') \subseteq \text{vars}(t)$, a transition in an open system is instead modeled by a rule of the form $t(\vec{x}) \rightarrow t'(\vec{x}, \vec{y})$, where \vec{y} are fresh new variables. Therefore, a substitution for the variables $\vec{x} \uplus \vec{y}$ decomposes into two substitutions, one, say θ , for the variables \vec{x} under the control of the system and another, say ρ , for the variables \vec{y} under the control of the environment. In rewriting modulo SMT, such open systems are described by conditional rewrite rules of the form $t(\vec{x}) \rightarrow t'(\vec{x}, \vec{y})$ **if** ϕ , where ϕ is a constraint solvable by an SMT solver. This constraint ϕ may still allow the environment to choose an infinite number of substitutions ρ for \vec{y} , but can exclude choices that the environment will never make.

The non-trivial challenges of modeling and analyzing open systems can now be better explained. They include: (1) the enormous and possibly infinitary non-determinism due to the environment, which typically renders finite-state model checking impossible or unfeasible; (2) the impossibility of executing the rewrite theory $\mathcal{R} = (\Sigma, E, R)$ in the standard sense, due to the non-deterministic choice of ρ ; and (3) the, in general, undecidable challenge of checking the rule's condition ϕ , since without knowing ρ , the condition $\phi\theta$ is non-ground, so that its E -satisfiability may be undecidable. As further explained in the paper, challenges (1)–(3) are all met successfully by rewriting modulo SMT because: (1) states are represented not as concrete states, i.e., ground terms, but as symbolic constrained terms $\langle t; \varphi \rangle$ with t a term with variables ranging in the domains handled by the SMT solver and φ an SMT-solvable formula, so that the choice of ρ is avoided; (2) rewriting modulo SMT can symbolically rewrite such pairs $\langle t; \varphi \rangle$ (describing possibly infinite sets of concrete states) to other pairs $\langle t'; \varphi' \rangle$; and (3) decidability of $\phi\theta$ (more precisely of $\varphi \wedge \phi\theta$) can be settled by invoking an SMT solver.

Rewriting modulo SMT can be integrated with model-checking by exploiting the fact that rewriting logic is reflective [15]. Hence, rewriting modulo SMT can be reduced to standard rewriting. In particular, all the techniques, algorithms, and tools available for model checking of closed systems specified as rewrite theories, such as Maude's search-based reachability analysis [14], become directly available to perform symbolic reachability analysis on systems that are now infinite-state.

The technique proposed in this paper is illustrated with the formal analysis of the CASH scheduling protocol [13]. This protocol specifies a real-time system whose formal analysis is beyond the scope of timed-automata [2].

2 Preliminaries

Notation on terms, term algebras, and equational theories is used as in [6, 19].

An *order-sorted signature* Σ is a tuple $\Sigma=(S, \leq, F)$ with a finite poset of sorts (S, \leq) and set of function symbols F . The binary relation \equiv_{\leq} denotes the equivalence relation generated by \leq on S and its point-wise extension to strings in S^* . The function symbols in F can be subsort-overloaded and satisfy the condition that, for $w, w' \in S^*$ and $s, s' \in S$, if $f : w \rightarrow s$ and $f : w' \rightarrow s'$ are in F , then $w \equiv_{\leq} w'$ implies $s \equiv_{\leq} s'$. A *top sort* in Σ is a sort $s \in S$ such that if $s' \in S$ and $s \equiv_{\leq} s'$, then $s' \leq s$. For any sort $s \in S$, the expression $[s]$ denotes the connected component of s , that is, $[s] = [s]_{\equiv_{\leq}}$.

The symbol X denotes an S -indexed family $X = \{X_s\}_{s \in S}$ of disjoint variable sets with each X_s countably infinite. Expressions $T_{\Sigma}(X)_s$ and $T_{\Sigma,s}$ denote, respectively, the *set of terms of sort s* and the *set of ground terms of sort s* ; accordingly, $\mathcal{T}_{\Sigma}(X)$ and \mathcal{T}_{Σ} denote the corresponding order-sorted Σ -term algebras. All order-sorted signatures are assumed *preregular* [19], i.e., each Σ -term t has a *least sort* $ls(t) \in S$ s.t. $t \in T_{\Sigma}(X)_{ls(t)}$. For $S' \subseteq S$, a term is called *S' -linear* if no variable with sort in S' occurs in it twice. The *set of variables* of t is written $vars(t)$.

A *substitution* is an S -indexed mapping $\theta : X \rightarrow T_{\Sigma}(X)$ that is different from the identity only for a finite subset of X . The identity substitution is denoted by id and $\theta|_Y$ denotes the restriction of θ to a family of variables $Y \subseteq X$. Expression $dom(\theta)$ denotes the domain of θ , i.e., the subfamily of X for which $\theta(x) \neq x$, and $ran(\theta)$ denotes the family of variables introduced by $\theta(x)$, for $x \in dom(\theta)$. Substitutions extend homomorphically to terms in the natural way. A substitution θ is called *ground* iff $ran(\theta) = \emptyset$. The application of a substitution θ to a term t is denoted by $t\theta$ and the composition of two substitutions θ_1 and θ_2 is denoted by $\theta_1\theta_2$. A *context* C is a λ -term of the form $C = \lambda x_1, \dots, x_n. c$ with $c \in T_{\Sigma}(X)$ and $\{x_1, \dots, x_n\} \subseteq vars(c)$; it can be viewed as an n -ary function $C(t_1, \dots, t_n) = c\theta$, where $\theta(x_i) = t_i$ for $1 \leq i \leq n$ and $\theta(x) = x$ otherwise.

A Σ -*equation* is an unoriented pair $t = u$ with $t \in T_{\Sigma}(X)_{s_t}$, $u \in T_{\Sigma}(X)_{s_u}$, and $s_t \equiv_{\leq} s_u$. A *conditional Σ -equation* is a triple $t = u$ **if** γ , with $t = u$ a Σ -equation and γ a finite conjunction of Σ -equations; it is called *unconditional* if γ is the empty conjunction. An *equational theory* is a tuple (Σ, E) , with Σ an order-sorted signature and E a finite collection of (possibly conditional) Σ -equations. It is assumed that $T_{\Sigma,s} \neq \emptyset$ for each $s \in S$. An equational theory $\mathcal{E} = (\Sigma, E)$ induces the congruence relation $=_{\mathcal{E}}$ on $T_{\Sigma}(X)$ defined for $t, u \in T_{\Sigma}(X)$ by $t =_{\mathcal{E}} u$ iff $\mathcal{E} \vdash t = u$ by the deduction rules for order-sorted equational logic in [25]. Similarly, $=_{\mathcal{E}}^1$ denotes provable \mathcal{E} -equality in *one step* of deduction. The \mathcal{E} -*subsumption* ordering $\ll_{\mathcal{E}}$ is the binary relation on $T_{\Sigma}(X)$ defined for any $t, u \in T_{\Sigma}(X)$ by $t \ll_{\mathcal{E}} u$ iff there is a substitution $\theta : X \rightarrow T_{\Sigma}(X)$ such that $t =_{\mathcal{E}} u\theta$. A set of equations E is called *collapse-free* for a subset of sorts $S' \subseteq S$ iff for any $t = u \in E$ and for any substitution $\theta : X \rightarrow T_{\Sigma}(X)$ neither $t\theta$ nor $u\theta$ map to a variable for some sort $s \in S'$. The expressions $\mathcal{T}_{\mathcal{E}}(X)$ and $\mathcal{T}_{\mathcal{E}}$ (also written $\mathcal{T}_{\Sigma/E}(X)$ and $\mathcal{T}_{\Sigma/E}$) denote the quotient algebras induced by $=_{\mathcal{E}}$ on the term algebras $\mathcal{T}_{\Sigma}(X)$ and \mathcal{T}_{Σ} , respectively; $\mathcal{T}_{\Sigma/E}$ is called the *initial algebra* of (Σ, E) . A theory inclusion $(\Sigma, E) \subseteq$

(Σ', E') , with $\Sigma \subseteq \Sigma'$ and $E \subseteq E'$, is called *protecting* iff the unique Σ -homomorphism $\mathcal{T}_{\Sigma/E} \rightarrow \mathcal{T}_{\Sigma'/E'}|_{\Sigma}$ to the Σ -reduct of the initial algebra $\mathcal{T}_{\Sigma'/E'}$ is a Σ -isomorphism, written $\mathcal{T}_{\Sigma/E} \simeq \mathcal{T}_{\Sigma'/E'}|_{\Sigma}$. A set of equations E is called *regular* iff $\text{vars}(t) = \text{vars}(u)$ for any equation $(t = u \text{ if } \gamma) \in E$.

Appropriate requirements are needed to make an equational theory \mathcal{E} *admissible*, i.e., *executable* in rewriting languages such as Maude [14]. In this paper, it is assumed that the equations of \mathcal{E} can be decomposed into a disjoint union $E \uplus B$, with B a collection of structural axioms (such as associativity, and/or commutativity, and/or identity) for which there exists a *matching algorithm modulo B* producing a finite number of B -matching solutions, or failing otherwise. Furthermore, it is assumed that the equations E can be oriented into a set of (possibly conditional) sort-decreasing, operationally terminating, and confluent conditional rewrite rules \vec{E} modulo B . The conditional rewrite system \vec{E} is *sort decreasing* modulo B iff for each $(t \rightarrow u \text{ if } \gamma) \in \vec{E}$ and substitution θ , $ls(t\theta) \geq ls(u\theta)$ if $(\Sigma, B, \vec{E}) \vdash \gamma\theta$. The system \vec{E} is *operationally terminating* modulo B iff there is no infinite well-formed proof tree in (Σ, B, \vec{E}) . Furthermore, \vec{E} is *confluent* modulo B iff for all $t, t_1, t_2 \in T_{\Sigma}(X)$, if $t \rightarrow_{E/B}^* t_1$ and $t \rightarrow_{E/B}^* t_2$, then there is $u \in T_{\Sigma}(X)$ such that $t_1 \rightarrow_{E/B}^* u$ and $t_2 \rightarrow_{E/B}^* u$. The term $t \downarrow_{E/B} \in T_{\Sigma}(X)$ denotes the *E-canonical form* of t modulo B so that $t \rightarrow_{E/B}^* t \downarrow_{E/B}$ and $t \downarrow_{E/B}$ cannot be further reduced by $\rightarrow_{E/B}$. Under the above assumptions $t \downarrow_{E/B}$ is unique up to B -equality.

A Σ -rule is a triple $l \rightarrow r \text{ if } \phi$, with $l, r \in T_{\Sigma}(X)_s$, for some sort $s \in S$, and $\phi = \bigwedge_{i \in I} t_i = u_i$ a finite conjunction of Σ -equations. A *rewrite theory* is a tuple $\mathcal{R} = (\Sigma, E, R)$ with (Σ, E) an order-sorted equational theory and R a finite set of Σ -rules. The rewrite theory \mathcal{R} induces a rewrite relation $\rightarrow_{\mathcal{R}}$ on $T_{\Sigma}(X)$ defined for every $t, u \in T_{\Sigma}(X)$ by $t \rightarrow_{\mathcal{R}} u$ iff there is a rule $(l \rightarrow r \text{ if } \phi) \in R$ and a substitution $\theta : X \rightarrow T_{\Sigma}(X)$ satisfying $t =_E l\theta$, $u =_E r\theta$, and $E \vdash \phi\theta$. The relation $\rightarrow_{\mathcal{R}}$ is undecidable in general, unless conditions such as coherence [37] are given. A key point of this paper is to make such a relation decidable when E decomposes as $E_0 \uplus B_1$, where E_0 is a built-in theory for which formula satisfiability is decidable and B_1 has a matching algorithm. A *topmost rewrite theory* is a rewrite theory $\mathcal{R} = (\Sigma, E, R)$, such that for some top sort *State*, no operator in Σ has *State* as argument sort and each rule $l \rightarrow r \text{ if } \phi \in R$ satisfies $l, r \in T_{\Sigma}(X)_{\text{State}}$ and $l \notin X$.

3 Rewriting Modulo a Built-in Subtheory

This section introduces the concept of rewriting modulo a built-in equational subtheory and presents its main properties. Detailed proofs can be found in [33, 34].

Definition 1 (Signature with Built-ins). *An order-sorted signature $\Sigma = (S, \leq, F)$ is a signature with built-in subsignature $\Sigma_0 \subseteq \Sigma$ iff $\Sigma_0 = (S_0, F_0)$ is many-sorted, S_0 is a set of minimal elements in (S, \leq) , and if $f : w \rightarrow s \in F_1$, then $s \notin S_0$ and f has no other typing in F_0 , where $F_1 = F \setminus F_0$.*

The notion of built-in subsignature in an order-sorted signature Σ is modeled by a many-sorted signature Σ_0 defining the built-in terms $T_{\Sigma_0}(X_0)$. The restriction imposed on the sorts and the function symbols in Σ w.r.t. Σ_0 provides a clear syntactic distinction between built-in terms (the only ones with built-in sorts) and all other terms.

If $\Sigma \supseteq \Sigma_0$ is a signature with built-ins, then an *abstraction of built-ins* for t is a context $\lambda x_1 \cdots x_n.t^\circ$ such that $t^\circ \in T_{\Sigma_1}(X)$ and $\{x_1, \dots, x_n\} = \text{vars}(t^\circ) \cap X_0$, where $\Sigma_1 = (S, \leq, F_1)$ and $X_0 = \{X_s\}_{s \in S_0}$. Lemma 1 shows that such an abstraction can be chosen so as to provide a canonical decomposition of t with useful properties.

Lemma 1. *Let Σ be a signature with built-in subsignature $\Sigma_0 = (S_0, F_0)$. For each $t \in T_\Sigma(X)$, there exist an abstraction of built-ins $\lambda x_1 \cdots x_n.t^\circ$ for t and a substitution $\theta^\circ : X_0 \rightarrow T_{\Sigma_0}(X_0)$ such that (i) $t = t^\circ \theta^\circ$ and (ii) $\text{dom}(\theta^\circ) = \{x_1, \dots, x_n\}$ are pairwise distinct and disjoint from $\text{vars}(t)$; moreover, (iii) t° can always be selected to be S_0 -linear and with $\{x_1, \dots, x_n\}$ disjoint from an arbitrarily chosen finite subset Y of X_0 .*

In the rest of the paper, for any $t \in T_\Sigma(X)$ and $Y \subseteq X_0$ finite, the expression $\text{abstract}_{\Sigma_1}(t, Y)$ denotes the choice of a triple $\langle \lambda x_1 \cdots x_n.t^\circ ; \theta^\circ ; \phi^\circ \rangle$ such that the context $\lambda x_1 \cdots x_n.t^\circ$ and the substitution θ° satisfy the properties (i)–(iii) in Lemma 1 and $\phi^\circ = \bigwedge_{i=1}^n (x_i = \theta^\circ(x_i))$.

Under certain restrictions on axioms, matching a Σ -term t to a Σ -term u can be decomposed modularly into Σ_1 -matching of the corresponding λ -abstraction and Σ_0 -matching of the built-in subterms. This is described in Lemma 2.

Lemma 2. *Let $\Sigma = (S, \leq, F)$ be a signature with built-in subsignature $\Sigma_0 = (S_0, F_0)$. Let B_0 be a set of Σ_0 -axioms and B_1 a set of Σ_1 -axioms. For B_0 and B_1 regular, linear, collapse free for any sort in S_0 , and sort-preserving, if $t \in T_{\Sigma_1}(X_0)$ is linear with $\text{vars}(t) = \{x_1, \dots, x_n\}$, then for each $\theta : X_0 \rightarrow T_{\Sigma_0}(X_0)$:*

- (a) *if $t\theta =_{B_0}^1 t'$, then there exist $x \in \{x_1, \dots, x_n\}$ and $w \in T_{\Sigma_0}(X_0)$ such that $\theta(x) =_{B_0}^1 w$ and $t' = t\theta'$, with $\theta'(x) = w$ and $\theta'(y) = \theta(y)$ otherwise;*
- (b) *if $t\theta =_{B_1}^1 t'$, then there exists $v \in T_{\Sigma_1}(X_0)$ such that $t =_{B_1}^1 v$ and $t' = v\theta$; and*
- (c) *if $t\theta =_{B_0 \cup B_1} t'$, then there exist $v \in T_{\Sigma_1}(X_0)$ and $\theta' : X_0 \rightarrow T_{\Sigma_0}(X_0)$ such that $t' = v\theta'$, $t =_{B_1} v$, and $\theta =_{B_0} \theta'$ (i.e., $\theta(x) =_{B_0} \theta'(x)$ for each $x \in X_0$).*

Definition 2 introduces the notion of rewriting modulo a built-in subtheory.

Definition 2 (Rewriting Modulo a Built-in Subtheory). A rewrite theory modulo the built-in subtheory \mathcal{E}_0 is a topmost rewrite theory $\mathcal{R} = (\Sigma, E, R)$ with:

- (a) $\Sigma = (S, \leq, F)$ a signature with built-in subsignature $\Sigma_0 = (S_0, F_0)$ and top sort $\text{State} \in S$;
- (b) $E = E_0 \uplus B_0 \uplus B_1$, where E_0 is a set of Σ_0 -equations, B_0 (resp., B_1) are Σ_0 -axioms (resp., Σ_1 -axioms) satisfying the conditions in Lemma 2, $\mathcal{E}_0 = (\Sigma_0, E_0 \uplus B_0)$ and $\mathcal{E} = (\Sigma, E)$ are admissible, and the theory inclusion $\mathcal{E}_0 \subseteq \mathcal{E}$ is protecting;

- (c) R is a set of rewrite rules of the form $l(\vec{x}_1, \vec{y}) \rightarrow r(\vec{x}_2, \vec{y})$ if $\phi(\vec{x}_3)$ such that $l, r \in T_{\Sigma}(X)_{State}$, l is $(S \setminus S_0)$ -linear, $\vec{x}_i: \vec{s}_i$ with $\vec{s}_i \in S_0^*$, for $i \in \{1, 2, 3\}$, $\vec{y}: \vec{s}$ with $\vec{s} \in (S \setminus S_0)^*$, and $\phi \in QF_{\Sigma_0}(X_0)$, where $QF_{\Sigma_0}(X_0)$ denotes the set of quantifier-free Σ_0 -formulas with variables in X_0 .

Note that no assumption is made on the relationship between the built-in variables x_1 in the left-hand side, x_2 in the right-hand side, and x_3 in the condition ϕ of a rewrite rule. This freedom is key for specifying open systems with a rewrite theory because, for instance, x_2 can have more variables than x_1 . On the other hand, due to the presence of conditions ϕ in the rules of \mathcal{R} that are general quantifier-free formulas, as opposed to a conjunction of atoms, properly speaking \mathcal{R} is more general than a standard rewrite theory as defined in Section 2.

The binary rewrite relation induced by a rewrite theory \mathcal{R} modulo \mathcal{E}_0 on $T_{\Sigma, State}$ is called the *ground rewrite relation* of \mathcal{R} .

Definition 3 (Ground Rewrite Relation). Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo \mathcal{E}_0 . The relation $\rightarrow_{\mathcal{R}}$ induced by \mathcal{R} on $T_{\Sigma, State}$ is defined for $t, u \in T_{\Sigma, State}$ by $t \rightarrow_{\mathcal{R}} u$ iff there is a rule $l \rightarrow r$ if ϕ in R and a ground substitution $\sigma : X \rightarrow T_{\Sigma}$ such that (a) $t =_E l\sigma$, $u =_E r\sigma$, and (b) $\mathcal{T}_{\mathcal{E}_0} \models \phi\sigma$.

The ground rewrite relation $\rightarrow_{\mathcal{R}}$ is the topmost rewrite relation induced by R modulo E on $T_{\Sigma, State}$. This relation is defined even when a rule in R has extra variables in its right-hand side: the rule is then non-deterministic and such extra variables can be arbitrarily instantiated, provided that the corresponding instantiation of ϕ holds. Also, note that non-built-in variables can occur in l , but $\phi\sigma$ is a *variable-free formula* in $QF_{\Sigma_0}(\emptyset)$, so that either $\mathcal{T}_{\mathcal{E}_0} \models \phi\sigma$ or $\mathcal{T}_{\mathcal{E}_0} \not\models \phi\sigma$.

A rewrite theory \mathcal{R} modulo \mathcal{E}_0 always has a canonical representation in which all left-hand sides of rules are S_0 -linear Σ_1 -terms.

Definition 4 (Normal Form of a Rewrite Theory Modulo \mathcal{E}_0). Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo \mathcal{E}_0 . Its normal form $\mathcal{R}^\circ = (\Sigma, E, R^\circ)$ has rules:

$$R^\circ = \{l^\circ \rightarrow r \text{ if } \phi \wedge \phi^\circ \mid (\exists l \rightarrow r \text{ if } \phi \in R) \langle \lambda \vec{x}. l^\circ ; \theta^\circ ; \phi^\circ \rangle = \text{abstract}_{\Sigma}(l, \text{vars}(\{l, r, \phi\}))\}.$$

Lemma 3 (Invariance of Ground Rewriting under Normalization). Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo \mathcal{E}_0 . Then $\rightarrow_{\mathcal{R}} = \rightarrow_{\mathcal{R}^\circ}$.

By the properties of the axioms in a rewrite theory modulo built-ins $\mathcal{R} = (\Sigma, E_0 \uplus B_0 \uplus B_1)$ (see Definition 2), B_1 -matching a term $t \in T_{\Sigma}(X_0)$ to a left-hand side l° of a rule in R° provides a complete unifiability algorithm for ground B_1 -unification of t and l° .

Lemma 4 (Matching Lemma). Let $\mathcal{R} = (\Sigma, E_0 \uplus B_0 \uplus B_1, R)$ be a rewrite theory modulo \mathcal{E}_0 . For $t \in T_{\Sigma}(X_0)_{State}$ and l° a left-hand side of a rule in R° with $\text{vars}(t) \cap \text{vars}(l^\circ) = \emptyset$, $t \ll_{B_1} l^\circ$ iff $GU_{B_1}(t = l^\circ) \neq \emptyset$ holds, where $GU_{B_1}(t = l^\circ) = \{\sigma : X \rightarrow T_{\Sigma} \mid t\sigma =_{B_1} l^\circ\sigma\}$.

4 Symbolic Rewriting Modulo a Built-in Subtheory

This section explains how a rewrite theory \mathcal{R} modulo \mathcal{E}_0 defines a symbolic rewrite relation on terms in $T_{\Sigma_0}(X_0)_{State}$ constrained by formulas in $QF_{\Sigma_0}(X_0)$. The key idea is that, when \mathcal{E}_0 is a decidable theory, transitions on the symbolic terms can be performed by rewriting modulo B_1 , and satisfiability of the formulas can be handled by an SMT decision procedure. This approach provides an efficiently executable symbolic method called *rewriting modulo SMT* that is sound and complete with respect to the ground rewrite relation of Definition 3 and yields a complete symbolic reachability analysis method. Detailed proofs of the theorems presented in this section can be found in [34].

Definition 5 (Constrained Terms and their Denotation). *Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo \mathcal{E}_0 . A constrained term is a pair $\langle t; \varphi \rangle$ in $T_{\Sigma}(X_0)_{State} \times QF_{\Sigma_0}(X_0)$. Its denotation $\llbracket t \rrbracket_{\varphi}$ is defined as $\llbracket t \rrbracket_{\varphi} = \{t' \in T_{\Sigma, State} \mid (\exists \sigma : X_0 \rightarrow T_{\Sigma_0}) t' = t\sigma \wedge \mathcal{T}_{\mathcal{E}_0} \models \varphi\sigma\}$.*

The domain of σ in Definition 5 ranges over all built-in variables X_0 and consequently $\llbracket t \rrbracket_{\varphi} \subseteq T_{\Sigma, State}$ for any $t \in T_{\Sigma}(X_0)_{State}$, even if $vars(t) \not\subseteq vars(\varphi)$. Intuitively, $\llbracket t \rrbracket_{\varphi}$ denotes the set of all ground states that are instances of t and satisfy φ .

Before introducing the symbolic rewrite relation on constrained terms induced by a rewrite theory \mathcal{R} modulo \mathcal{E}_0 , auxiliary notation for variable renaming is required. In the rest of the paper, the expression *fresh-vars*(Y), for $Y \subseteq X$ finite, represents the choice of a variable renaming $\zeta : X \rightarrow X$ satisfying $Y \cap ran(\zeta) = \emptyset$.

Definition 6 (Symbolic Rewrite Relation). *Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo built-ins \mathcal{E}_0 . The symbolic rewrite relation $\rightsquigarrow_{\mathcal{R}}$ induced by \mathcal{R} on $T_{\Sigma}(X_0)_{State} \times QF_{\Sigma_0}(X_0)$ is defined for $t, u \in T_{\Sigma}(X_0)_{State}$ and $\varphi, \varphi' \in QF_{\Sigma_0}(X_0)$ by $\langle t; \varphi \rangle \rightsquigarrow_{\mathcal{R}} \langle u; \varphi' \rangle$ iff there is a rule $l \rightarrow r$ if ϕ in R and a substitution $\theta : X \rightarrow T_{\Sigma}(X)$ such that (a) $t \stackrel{E}{=} l\zeta\theta$ and $u = r\zeta\theta$, (b) $\mathcal{E}_0 \vdash (\varphi' \Leftrightarrow \varphi \wedge \phi\zeta\theta)$, and (c) φ' is $\mathcal{T}_{\mathcal{E}_0}$ -satisfiable, where $\zeta = \text{fresh-vars}(vars(t, \varphi))$.*

The symbolic relation $\rightsquigarrow_{\mathcal{R}}$ on constrained terms is defined as a topmost rewrite relation induced by R modulo E on $T_{\Sigma}(X_0)$ with extra bookkeeping of constraints. Note that φ' in $\langle t; \varphi \rangle \rightsquigarrow_{\mathcal{R}} \langle u; \varphi' \rangle$, when witnessed by $l \rightarrow r$ if ϕ and θ , is *semantically equivalent* to $\varphi \wedge \phi\zeta\theta$, in contrast to being *syntactically equal*. This extra freedom allows for simplification of constraints if desired. Also, such a constraint φ' is satisfiable in $\mathcal{T}_{\mathcal{E}_0}$, implying that φ and $\phi\theta$ are both satisfiable in $\mathcal{T}_{\mathcal{E}_0}$, and therefore $\llbracket t \rrbracket_{\varphi} \neq \emptyset \neq \llbracket u \rrbracket_{\varphi'}$. Note that, up to the choice of the semantically equivalent φ' for which a fixed strategy is assumed, the symbolic relation $\rightsquigarrow_{\mathcal{R}}$ is deterministic because the renaming of variables in the rules is fixed by *fresh-vars*. This is key when executing $\rightsquigarrow_{\mathcal{R}}$, as explained in Section 5.

The important question to ask is whether this symbolic relation soundly and completely simulates its ground counterpart. The rest of this section affirmatively answers this question in the case of *normalized* rewrite theories modulo built-ins. Thanks to Lemma 3,

the conclusion is therefore that $\rightsquigarrow_{\mathcal{R}^\circ}$ soundly and completely simulates $\rightarrow_{\mathcal{R}}$ for any rewrite theory \mathcal{R} modulo built-ins \mathcal{E}_0 .

The soundness of $\rightsquigarrow_{\mathcal{R}^\circ}$ w.r.t. $\rightarrow_{\mathcal{R}^\circ}$ is stated in Theorem 1.

Theorem 1 (Soundness). *Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo built-ins \mathcal{E}_0 , $t, u \in T_\Sigma(X_0)_{State}$, and $\varphi, \varphi' \in QF_{\Sigma_0}(X_0)$. If $\langle t; \varphi \rangle \rightsquigarrow_{\mathcal{R}^\circ} \langle u; \varphi' \rangle$, then $t\rho \rightarrow_{\mathcal{R}^\circ} u\rho$ for all $\rho : X_0 \rightarrow T_{\Sigma_0}$ satisfying $\mathcal{T}_{\mathcal{E}_0} \models \varphi'\rho$.*

The completeness of $\rightsquigarrow_{\mathcal{R}^\circ}$ w.r.t. $\rightarrow_{\mathcal{R}^\circ}$ is stated in Theorem 2. Intuitively, completeness states that a symbolic relation yields an over-approximation of its ground rewriting counterpart.

Theorem 2 (Completeness). *Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo built-ins \mathcal{E}_0 , $t \in T_\Sigma(X_0)_{State}$, $u' \in T_{\Sigma, State}$, and $\varphi \in QF_{\Sigma_0}(X_0)$. For any $\rho : X_0 \rightarrow T_{\Sigma_0}$ such that $t\rho \in \llbracket t \rrbracket_\varphi$ and $t\rho \rightarrow_{\mathcal{R}^\circ} u'$, there exist $u \in T_\Sigma(X_0)_{State}$ and $\varphi' \in QF_{\Sigma_0}(X_0)$ such that $\langle t; \varphi \rangle \rightsquigarrow_{\mathcal{R}^\circ} \langle u; \varphi' \rangle$ and $u' \in \llbracket u \rrbracket_{\varphi'}$.*

Although the above soundness and completeness theorems, plus Lemma 3, show that $\rightarrow_{\mathcal{R}}$ is characterized symbolically by $\rightsquigarrow_{\mathcal{R}^\circ}$, for any rewrite theory \mathcal{R} modulo \mathcal{E}_0 , because of Condition (c) in Definition 6, the relation $\rightsquigarrow_{\mathcal{R}^\circ}$ is in general undecidable. However, $\rightsquigarrow_{\mathcal{R}^\circ}$ becomes decidable for built-in theories \mathcal{E}_0 that can be extended to a *decidable theory* \mathcal{E}_0^+ (typically by adding some inductive consequences) such that

$$(\forall \phi \in QF_{\Sigma_0}(X_0)) \phi \text{ is } \mathcal{E}_0^+ \text{-satisfiable} \iff (\exists \sigma : X_0 \rightarrow T_{\Sigma_0}) \mathcal{T}_{\mathcal{E}_0} \models \phi\sigma. \quad (1)$$

Many decidable theories \mathcal{E}_0^+ of interest are supported by SMT solvers satisfying this requirement. For example, \mathcal{E}_0 can be the equational theory of natural number addition and \mathcal{E}_0^+ Pressburger arithmetic. That is, $\mathcal{T}_{\mathcal{E}_0}$ is the *standard model* of both \mathcal{E}_0 and \mathcal{E}_0^+ , and \mathcal{E}_0^+ -satisfiability coincides with satisfiability in such a standard model. Under such conditions, satisfiability of $\varphi \wedge \phi\zeta\theta$ (and therefore of φ') in a step $\langle t; \varphi \rangle \rightsquigarrow_{\mathcal{R}^\circ} \langle u; \varphi' \rangle$ becomes decidable by invoking an SMT-solver for \mathcal{E}_0 , so that $\rightsquigarrow_{\mathcal{R}^\circ}$ can be naturally described as *symbolic rewriting modulo SMT* (and modulo B_1).

The symbolic reachability problems considered for a rewrite theory \mathcal{R} modulo \mathcal{E}_0 in this paper, are existential formulas of the form $(\exists \vec{z}) t \rightarrow^* u \wedge \varphi$, with \vec{z} the variables appearing in t, u , and φ , $t \in T_\Sigma(X_0)_{State}$, $u \in T_\Sigma(X)_{State}$, and $\varphi \in QF_{\Sigma_0}(X_0)$. By abstracting the Σ_0 -subterms of u , the ground solutions of such a reachability problem are those witnessing the model-theoretic satisfaction relation

$$\mathcal{T}_{\mathcal{R}} \models (\exists \vec{x} \uplus \vec{y}) t(\vec{x}) \rightarrow^* u^\circ(\vec{y}) \wedge \varphi_1(\vec{x}) \wedge \varphi_2(\vec{x}, \vec{y}), \quad (2)$$

where $\mathcal{T}_{\mathcal{R}} = (\mathcal{T}_{\Sigma/E}, \rightarrow_{\mathcal{R}}^*)$ is the initial reachability model of \mathcal{R} [12], $t \in T_\Sigma(X_0)$ and $u^\circ \in T_{\Sigma_1}(X)$ are S_0 -linear, $\text{vars}(t) \subseteq \vec{x} \subseteq X_0$, and $\vec{y} \subseteq X$. Thanks to the soundness and completeness results, Theorem 1, and Theorem 2, the solvability of Condition (b) for $\rightarrow_{\mathcal{R}}$ can be achieved by reachability analysis with $\rightsquigarrow_{\mathcal{R}^\circ}$, as stated in Theorem 3.

Theorem 3 (Symbolic Reachability Analysis). *Let $\mathcal{R} = (\Sigma, E, R)$ be a rewrite theory modulo built-ins \mathcal{E}_0 . The model-theoretic satisfaction relation in (2) has a solution iff there exist a term $v \in T_\Sigma(X)_{State}$, a constraint $\varphi' \in QF_{\Sigma_0}(X_0)$, and a substitution $\theta : X \rightarrow T_\Sigma(X)$, with $dom(\theta) \subseteq \vec{y}$, such that (a) $\langle t; \varphi_1 \rangle \rightsquigarrow_{\mathcal{R}^\circ}^* \langle v; \varphi' \rangle$, (b) $v =_{B_1} u^\circ \theta$, and (c) $\varphi' \wedge \varphi_2 \theta$ is $\mathcal{T}_{\mathcal{E}_0}$ -satisfiable.*

In Theorem 3, since $dom(\theta) \subseteq \vec{y}$, and \vec{x} and \vec{y} are disjoint, the variables of \vec{x} in $\varphi_2 \theta$ are left unchanged. Therefore, $\varphi_2 \theta$ links the requirements for the variables \vec{x} in the initial state and \vec{y} in the final state according to both φ_1 and φ_2 . Also note that the inclusion of formula φ_1 as a conjunct in the formula in Condition (c) of Theorem 3 is superfluous because $\langle t; \varphi_1 \rangle \rightsquigarrow_{\mathcal{R}^\circ} \langle v; \varphi' \rangle$ implies that φ_1 is a semantic consequence of φ' .

5 Reflective Implementation of $\rightsquigarrow_{\mathcal{R}^\circ}$

This section discusses the design and implementation of a prototype that offers support for symbolic rewriting modulo SMT in the Maude system. The prototype relies on Maude's meta-level features, that implement rewriting logic's reflective capabilities, and on SMT solving for \mathcal{E}_0^+ integrated in Maude as CVC3's decision procedures. The extension of Maude with CVC3 is available from the Matching Logic Project [35]. In the rest of this section, $\mathcal{R} = (\Sigma, E_0 \uplus B_0 \uplus B_1, R)$ is a rewrite theory modulo built-ins \mathcal{E}_0 , where \mathcal{E}_0 satisfies Condition (1) in Section 4. The theory mapping $\mathcal{R} \mapsto \mathbf{u}(\mathcal{R})$ removes the constraints from the rules in R .

In Maude, reflection is efficiently supported by its *META-LEVEL* module [14], which provides key functionality for rewriting logic's *universal theory* \mathcal{U} [15]. In particular, rewrite theories \mathcal{R} are meta-represented in \mathcal{U} as terms $\bar{\mathcal{R}}$ of sort *Module*, and a term t in \mathcal{R} is meta-represented in \mathcal{U} as a term \bar{t} of sort *Term*. The key idea of the reflective implementation is to reduce symbolic rewriting with $\rightsquigarrow_{\mathcal{R}^\circ}$ to *standard rewriting* in an associated reflective rewrite theory extending the universal theory \mathcal{U} . This is specially important for formal analysis purposes, because it makes available to $\rightsquigarrow_{\mathcal{R}^\circ}$ some formal analysis features provided by Maude for rewrite theories such as reachability analysis by search. This is illustrated by the case study in Section 6.

The prototype defines a parametrized functional module $SAT(\Sigma_0, E_0 \uplus B_0)$ of quantifier-free formulas with Σ_0 -equations as atoms. In particular, this module extends $(\Sigma_0, E_0 \uplus B_0)$ with new sorts *Atom* and *QFFormula*, and new *constants* $var(X_0)$ identifying the variables X_0 . It has, among other functions, a function $sat : QFFormula \rightarrow Bool$ such that for ϕ , $sat(\phi) = \top$ if ϕ is \mathcal{E}_0^+ -satisfiable, and $sat(\phi) = \perp$ otherwise.

The process of computing the one-step rewrites of a given constrained term $\langle t; \varphi \rangle$ under $\rightsquigarrow_{\mathcal{R}^\circ}$ is decomposed into two conceptual steps using Maude's metalevel. First, all possible triples $\langle u; \theta; \phi \rangle$ such that $t \rightarrow_{\mathbf{u}(\mathcal{R}^\circ)} u$ is witnessed by a matching substitution θ and a rule with constraint ϕ are computed¹. Second, these triples are filtered out by keeping only those for which the quantifier-free formula $\varphi \wedge \phi \theta$ is \mathcal{E}_0^+ -satisfiable.

¹ Note that in $\mathbf{u}(\mathcal{R}^\circ)$ variables in X_0 are interpreted as *constants*. Therefore, the number of matching substitutions θ thus obtained is finite.

The first step in the process is mechanized by function \overline{next} , available from the parametrized module $\overline{NEXT}(\overline{\mathcal{R}}, \overline{State}, \overline{QFFormula})$ where $\overline{\mathcal{R}}$, \overline{State} , and $\overline{QFFormula}$ are the metalevel representations, respectively, of the rewrite theory module \mathcal{R} , the state sort $State$, and the quantifier-free formula sort $QFFormula$. Function \overline{next} uses Maude's *meta-match* function and the auxiliary function *new-vars* for computing fresh variables (see Section 4). In particular, the call $\overline{next}(((S, \leq, F \uplus var(X_0)), E_0 \uplus B_0 \uplus B_1, R^\circ), \bar{t}, \bar{\varphi})$ computes all possible triples $\langle \bar{u}; \bar{\theta}; \bar{\phi}' \rangle$ such that $t \rightsquigarrow_{\mathcal{R}^\circ} u$ is witnessed by a substitution θ' and a rule with constraint ϕ' . More precisely, such a call first computes a renaming $\zeta = \text{fresh-vars}(vars(t, \varphi))$ and then, for each rule $(l^r \rightarrow r \text{ if } \phi)$, it uses the function *meta-match* to obtain a substitution $\bar{\theta} \in \text{meta-match}(((S, \leq, F \uplus var(X_0)), B_0 \uplus B_1), t \downarrow_{E_0/B_0 \uplus B_1}, l^r \zeta)$, and returns $\langle \bar{u}; \bar{\theta}; \bar{\phi}' \rangle$ with $\bar{u} = r\zeta\bar{\theta}$, $\bar{\theta}' = \zeta\bar{\theta}$, and $\bar{\phi}' = \phi\zeta\bar{\theta}$. Note that by having a *deterministic* choice of fresh variables (including those in the constraint), function \overline{next} is actually a *deterministic* function.

Using the above-mentioned infrastructure, the parametrized module \overline{NEXT} implements the symbolic rewrite relation $\rightsquigarrow_{\mathcal{R}^\circ}$ as a *standard rewrite relation* in the theory \overline{NEXT} , extending $\overline{META-LEVEL}$, by means of the following conditional rewrite rule:

$$\begin{array}{l} \mathbf{ceq} \quad \langle X:State ; \varphi:QFFormula \rangle \rightarrow \langle Y:State ; \varphi':QFFormula \rangle \\ \mathbf{if} \quad \langle \bar{Y}; \bar{\theta}; \bar{\phi} \rangle S := \overline{next}(\overline{\mathcal{R}^\circ}, \overline{X}, \overline{\varphi}) \wedge \text{sat}(\varphi \wedge \phi) = \top \wedge \varphi' := \varphi \wedge \phi \end{array}$$

where $\overline{\mathcal{R}^\circ} = ((S, \leq, F \uplus var(X_0)), B, R^\circ)$. Therefore, a call to an external SMT solver is just an invocation of the function *sat* in $\text{SAT}(\Sigma_0, E_0 \uplus B_0)$ in order to achieve the above functionality more efficiently and in a built-in way.

Given that the symbolic rewrite relation $\rightsquigarrow_{\mathcal{R}^\circ}$ is encoded as a standard rewrite relation, symbolic search can be *directly implemented* in Maude by its *search* command. In particular, for terms t, u° , constraints φ_1, φ_2 , F a variable of sort $QFFormula$, the following invocation solves the inductive reachability problem in Condition (2):

$$\text{search } \langle t; \varphi_1 \rangle \rightarrow^* \langle u^\circ; F \rangle \text{ such that } \text{sat}(F \wedge \varphi_2).$$

6 Analysis of the CASH algorithm

This section presents an example, developed jointly with Kyungmin Bae, of a real-time system that can be symbolically analyzed in the prototype tool described in Section 5. The analysis applies model checking based on *rewriting modulo SMT*. Some details are omitted. Full details and the prototype tool can be found in [9].

The example involves the symbolic analysis of the CASH scheduling algorithm [13], which attempts to maximize system performance while guaranteeing that critical tasks are executed in a timely manner. This is achieved by maintaining a queue of unused execution budgets that can be reused by other jobs to maximize processor utilization. CASH poses non-trivial modeling and analysis challenges because it contains an unbounded queue. Unbounded data types cannot be modeled in timed-automata formalisms, such as those of UPPAAL [22] or Kronos [39], which assume a finite discrete state.

The CASH algorithm was specified and analyzed in Real-Time Maude by *explicit-state model checking* in an earlier paper by Ölveczky and Caccamo [30], which showed that, under certain variations on both the assumptions and the design of the protocol, it could miss deadlines. Explicit-state model checking has intrinsic limitations which the new analysis by rewriting modulo SMT presented below overcomes. The CASH algorithm is parametrized by: (i) the number N of servers in the system, and (ii) the values of a maximum budget b_i and period p_i , for each server $1 \leq i \leq N$. Even if N is fixed, *there are infinitely many initial states* for N servers, since the maximum budgets b_i and periods p_i range over the natural numbers. Therefore, explicit state model checking cannot perform a full analysis. If a counterexample for N servers exists, it may be found by explicit-state model checking for some chosen initial states, as done in [31], but it could be missed if the wrong initial states are chosen.

Rewriting modulo SMT is useful for symbolically analyzing infinite-state systems like CASH. Infinite sets of states are symbolically described by terms which may involve user-definable data structures such as queues, but whose only variables range over decidable types for which an SMT solving procedure is available. For the CASH algorithm, the built-in data types used are the Booleans (sort `iBool`) and the integers (sort `iInt`). Integer built-in terms are used to model discrete time. Boolean built-in terms are used to impose constraints on integers.

A symbolic state is a pair $\{iB, Cnf\}$ of sort `Sys` consisting of a Boolean constraint `iB`, with *and* denoted \wedge , and a multiset configuration of objects `Cnf`, with multiset union denoted by juxtaposition, where each object is a record like-structure with an object identifier, a class name, and a set of attribute-value pairs. In each object configuration there is a global object (of class `global`) that models the time of the system (with attribute name `time`), the priority queue (with attribute name `cq`), the availability (with attribute name `available`), and a deadline missed flag (with attribute name `deadline-miss`). A configuration can also contain any number of server objects (of class `server`). Each server object models the maximum budget (the maximum time within which a given job will be finished, with attribute name `maxBudget`), period (with attribute name `period`), internal state (with attribute name `state`), time executed (with attribute name `timeExecuted`), budget time used (with attribute name `usedOfBudget`), and time to deadline (with attribute name `timeToDeadline`). The symbolic transitions of CASH are specified by 14 conditional rewrite rules whose conditions specify constraints solvable by the SMT decision procedure. For example, rule `[deadlineMiss]` below models the detection of a deadline miss for a server with non-zero maximum budget.

```
vars AtSG AtS : AttributeSet .   var iB : iBool .           var Cnf : Configuration .
vars iT iT' iNZT : iInt .       var St : ServerState .   vars G S : Oid .   var B : Bool .

crl [deadlineMiss] :
  { iB, < G : global | dead-miss |-> B, AtSG >
    < S : server | state |-> St, usedOfBudget |-> iT, timeToDeadline |-> iT',
      maxBudget |-> iNZT, AtS > Cnf }
=> {iB ^ iT >= c(0) ^ iNZT > c(0) ^ iT' > c(0) ^ iNZT > iT + iT',
  < G : global | dead-miss |-> true, AtSG >
  < S : server | state |-> St, usedOfBudget |-> iT, timeToDeadline |-> iT',
    maxBudget |-> iNZT, AtS > Cnf }
if St /= idle /\ check-sat(iB ^ iT >= c(0) ^ iNZT > c(0) ^ iT' > c(0) ^ iNZT > iT + iT') .
```

That is, the protocol misses a deadline for server S whenever the value of attribute `maxBudget` exceeds the addition of values for `usedOfBudget` and `timeToDeadline` (i.e., $iNzT > iT + iT'$), so that the allocated execution time cannot be exhausted before the server's deadline.

The goal is to verify *symbolically* the existence of missed deadlines of the CASH algorithm for the *infinite set of initial configurations* containing two server objects s_0 and s_1 with maximum budgets b_0 and b_1 and periods p_0 and p_1 as unspecified natural numbers, and such that each server's maximum budget is strictly smaller than its period (i.e., $0 \leq b_0 < p_0 \wedge 0 \leq b_1 < p_1$). This infinite set of initial states is specified symbolically by the equational definition (not shown) of term `sybinit`. Maude's search command can then be used to symbolically check if there is a reachable state for any ground instance of `sybinit` that misses the deadline:

```
search in SYMBOLIC-FAILURE : sybinit =>*
  { iB:iBool, Cnf:Configuration < g : global | AtS:AttributeSet, deadline-miss |-> true > } .
Solution 1 (state 233)
states: 234 rewrites: 60517 in 2865ms cpu (2865ms real) (21118 rewrites/second)
iB:iBool --> ((i(0) <= c(0) ^ i(1) <= c(0)) v i(0) <= c(0) + i(1) ^ ...)
Cnf:Configuration -->
< s1 : server | maxBudget |-> i(0), period |-> i(1), state |-> waiting, usedOfBudget |-> c(0),
  timeToDeadline |-> ((i(1) -- c(1)) -- c(1)), timeExecuted |-> c(0) >
< s2 : server | maxBudget |-> i(2), period |-> i(3), state |-> executing, usedOfBudget |-> c(2),
  timeToDeadline |-> ((i(3) -- c(1)) -- c(1)), timeExecuted |-> c(2) >
AtS:AttributeSet --> time |-> c(2), cq |-> emptyQueue, available |-> false
```

A counterexample is found at (modeling) time two, after exploring 233 symbolic states in less than 3 seconds. By using a satisfiability witness of the constraint `iB` computed by the search command, a concrete counterexample is found by exploring only 54 ground states. This result compares favorably, in both time and computational resources, with the ground counterexample found by explicit-state model checking in [30], where more than 52,000 concrete states were explored before finding a counterexample.

7 Related Work and Concluding Remarks

The idea of combining term rewriting/narrowing techniques and constrained data structures is an active area of research, specially since the advent of modern theorem provers with highly efficient decision procedures in the form of SMT solvers. The overall aim of these techniques is to advance applicability of methods in symbolic verification where the constraints are expressed in some logic that has an efficient decision procedure. In particular, the work presented here has strong similarities with the narrowing-based symbolic analysis of rewrite theories initiated in [26] and extended in [8]. The main difference is the replacement of narrowing by SMT solving and the decidability advantages of SMT for constraint solving.

M. Ayala-Rincón [5] investigates, in the setting of many-sorted equational logic, the expressiveness of conditional equational systems whose conditions may use built-in predicates. This class of equational theories is important because the combination of equational and built-in premises yield a type of clauses which is more expressive than purely conditional equations. Rewriting notions like confluence, termination, and critical pairs

are also investigated. S. Falke and D. Kapur [16] studied the problem of termination of rewriting with constrained built-ins. In particular, they extended the dependency pairs framework to handle termination of equational specifications with semantic data structures and evaluation strategies in the Maude functional sublanguage. The same authors used the idea of combining rewriting induction and linear arithmetic over constrained terms [17]. Their aim is to obtain equational decision procedures that can handle semantic data types represented by the constrained built-ins. H. Kirchner and C. Ringeissen proposed the notion of constrained rewriting and have used it by combining symbolic constraint solvers [20]. The main difference between their work and rewriting modulo SMT presented in this paper is that the former uses narrowing for symbolic execution, both at the symbolic ‘pattern matching’ and the constraint solving levels. In contrast, rewriting modulo SMT solves the symbolic pattern matching task by rewriting while constraint solving is delegated to an SMT decision procedure. More recently, C. Kop and N. Nishida [21] have proposed a way to unify the ideas regarding equational rewriting with logical constraints. More generally, while the approaches in [5, 16, 17, 20, 21] address symbolic reasoning for *equational* theorem proving purposes, none of them addresses the kind of non-deterministic rewrite rules, which are needed for open system modeling. More recently, A. Arusoai et al. [4] have proposed a language-independent symbolic execution framework, within the *K* framework [23], for languages endowed with a formal operational semantics based on term rewriting. There, the built-in subtheories are the datatypes of a programming language and symbolic analysis is performed on constrained terms (called “patterns”); unification is also implemented by matching for a restricted class of rewrite rules and uses SMT solvers to check constraints.

This paper has presented rewrite theories modulo built-ins and has shown how they can be used for *symbolically* modeling and analyzing concurrent open systems, where non-deterministic values from the environment can be represented by built-in terms [33,34]. In particular, the main contributions of this paper can be summarized as follows: (1) it presents rewriting modulo SMT as a new symbolic technique combining the powers of rewriting, SMT solving, and model checking; (2) this combined power can be applied to model and analyze systems outside the scope of each individual technique; (3) in particular, it is ideally suited to model and analyze the challenging case of *open systems*; and (4) because of its reflective reduction to standard rewriting, current algorithms and tools for model checking closed systems can be *reused* in this new symbolic setting without requiring any changes to their implementation.

Under reasonable assumptions, including decidability of \mathcal{E}_0^+ , a rewrite theory modulo is executable by term rewriting modulo SMT. This feature makes it possible to use, for symbolic analysis, state-of-the-art tools already available for Maude, such as its space search commands, with no change whatsoever required to use such tools. We have proved that the symbolic rewrite relation is sound and complete with respect to its ground counterpart, have presented an overview of the prototype that offers support for rewriting modulo SMT in Maude, and have presented a case study on the symbolic analysis of the CASH scheduling algorithm illustrating the use of these techniques.

Future work on a mature implementation and on extending the idea of rewriting modulo SMT with other symbolic constraint solving techniques such as narrowing modulo

should be pursued. Also, the extension to symbolic LTL model checking, together with state space reduction techniques, should be investigated. The ideas presented here extend results in [33] and have been successfully applied to the symbolic analysis of NASA's PLEXIL language to program open cyber-physical systems [33]. Future applications to PLEXIL and other languages should also be pursued.

References

1. E. Althaus, E. Kruglov, and C. Weidenbach. Superposition modulo linear arithmetic SUP(LA). In S. Ghilardi and R. Sebastiani, editors, *FroCos*, volume 5749 of *Lecture Notes in Computer Science*, pages 84–99. Springer, 2009.
2. R. Alur and D. L. Dill. A theory of timed automata. *Theoretical Computer Science*, 126(2):183–235, 1994.
3. A. Armando, J. Mantovani, and L. Platania. Bounded model checking of software using SMT solvers instead of SAT solvers. *Model Checking Software*, pages 146–162, 2006.
4. A. Arusoai, D. Lucanu, and V. Rusu. A generic framework for symbolic execution. In M. Erwig, R. F. Paige, and E. V. Wyk, editors, *Software Language Engineering - 6th International Conference, SLE 2013, Indianapolis, IN, USA, October 26-28, 2013. Proceedings*, volume 8225 of *Lecture Notes in Computer Science*, pages 281–301. Springer, 2013.
5. M. Ayala-Rincón. *Expressiveness of Conditional Equational Systems with Built-in Predicates*. PhD thesis, Universität Kaiserslautern, 1993.
6. F. Baader and T. Nipkow. *Term Rewriting and All That*. Cambridge University Press, 1998.
7. F. Baader and K. Schulz. Unification in the union of disjoint equational theories: combining decision procedures. *Journal of Symbolic Computation*, 21:211–243, 1996.
8. K. Bae, S. Escobar, and J. Meseguer. Abstract logical model checking of infinite-state systems using narrowing. In F. van Raamsdonk, editor, *RTA*, volume 21 of *LIPICs*, pages 81–96. Schloss Dagstuhl - Leibniz-Zentrum fuer Informatik, 2013.
9. K. Bae and C. Rocha. A note on symbolic reachability analysis modulo integer constraints for the CASH algorithm. Available at: <http://maude.cs.uiuc.edu/cases/scash>, 2012.
10. M. P. Bonacina, C. Lynch, and L. M. de Moura. On deciding satisfiability by theorem proving with speculative inferences. *Journal of Automated Reasoning*, 47(2):161–189, 2011.
11. A. Boudet. Combining unification algorithms. *J. Symb. Comp.*, 16(6):597–626, 1993.
12. R. Bruni and J. Meseguer. Semantic foundations for generalized rewrite theories. *Theoretical Computer Science*, 360(1-3):386–414, 2006.
13. M. Caccamo, G. C. Buttazzo, and L. Sha. Capacity sharing for overrun control. In *IEEE Real-Time Systems Symposium*, pages 295–304. IEEE Computer Society, 2000.
14. M. Clavel, F. Durán, S. Eker, P. Lincoln, N. Martí-Oliet, J. Meseguer, and C. L. Talcott, editors. *All About Maude - A High-Performance Logical Framework, How to Specify, Program and Verify Systems in Rewriting Logic*, volume 4350 of *LNCS*. Springer, 2007.
15. M. Clavel, J. Meseguer, and M. Palomino. Reflection in membership equational logic, many-sorted equational logic, horn logic with equality, and rewriting logic. *Theoretical Computer Science*, 373(1-2):70–91, 2007.
16. S. Falke and D. Kapur. Operational termination of conditional rewriting with built-in numbers and semantic data structures. *ENTCS*, 237:75–90, 2009.
17. S. Falke and D. Kapur. Rewriting induction + linear arithmetic = decision procedure. In B. Gramlich, D. Miller, and U. Sattler, editors, *IJCAR*, volume 7364 of *Lecture Notes in Computer Science*, pages 241–255. Springer, 2012.
18. M. Ganai and A. Gupta. Accelerating high-level bounded model checking. In *ICCAD*, pages 794–801. ACM, 2006.

19. J. A. Goguen and J. Meseguer. Order-sorted algebra I: Equational deduction for multiple inheritance, overloading, exceptions and partial operations. *Theoretical Computer Science*, 105(2):217–273, 1992.
20. H. Kirchner and C. Ringeissen. Combining symbolic constraint solvers on algebraic domains. *Journal of Symbolic Computation*, 18(2):113–155, 1994.
21. C. Kop and N. Nishida. Term rewriting with logical constraints. In *FroCos*, volume 8152 of *Lecture Notes in Computer Science*, pages 343–358. Springer, 2013.
22. K. G. Larsen, P. Pettersson, and W. Yi. Uppaal in a nutshell. *STTT*, 1(1-2):134–152, 1997.
23. D. Lucanu, T.-F. Serbanuta, and G. Rosu. K framework distilled. In *Rewriting Logic and Its Applications - 9th International Workshop, WRLA 2012, Held as a Satellite Event of ETAPS, Tallinn, Estonia, March 24-25, 2012, Revised Selected Papers*, volume 7571 of *Lecture Notes in Computer Science*, pages 31–53. Springer, 2012.
24. J. Meseguer. Conditional rewriting logic as a unified model of concurrency. *Theoretical Computer Science*, 96(1):73–155, 1992.
25. J. Meseguer. Membership algebra as a logical framework for equational specification. In F. Parisi-Presicce, editor, *WADT*, volume 1376 of *Lecture Notes in Computer Science*, pages 18–61. Springer, 1997.
26. J. Meseguer and P. Thati. Symbolic reachability analysis using narrowing and its application to verification of cryptographic protocols. *Higher-Order and Symbolic Computation*, 20(1-2):123–160, 2007.
27. A. Milicevic and H. Kugler. Model checking using SMT and theory of lists. *NASA Formal Methods*, pages 282–297, 2011.
28. G. Nelson and D. C. Oppen. Simplification by cooperating decision procedures. *ACM Transactions on Programming Languages and Systems*, 1(2):245–257, 1979.
29. R. Nieuwenhuis, A. Oliveras, and C. Tinelli. Solving SAT and SAT modulo theories: From an abstract Davis–Putnam–Logemann–Loveland procedure to DPLL(t). *Journal of the ACM*, 53(6):937–977, 2006.
30. P. C. Ölveczky and M. Caccamo. Formal simulation and analysis of the CASH scheduling algorithm in Real-Time Maude. In L. Baresi and R. Heckel, editors, *Fundamental Approaches to Software Engineering (FASE'06)*, volume 3922 of *Lecture Notes in Computer Science*, pages 357–372. Springer, 2006.
31. P. C. Ölveczky and J. Meseguer. Semantics and pragmatics of Real-Time Maude. *Higher-Order and Symbolic Computation*, 20(1-2):161–196, 2007.
32. S. Owre, J. M. Rushby, and N. Shankar. PVS: A prototype verification system. In D. Kapur, editor, *11th International Conference on Automated Deduction (CADE)*, volume 607 of *LNAI*, pages 748–752, Saratoga, NY, June 1992. Springer-Verlag.
33. C. Rocha. *Symbolic Reachability Analysis for Rewrite Theories*. PhD thesis, University of Illinois at Urbana-Champaign, 2012.
34. C. Rocha, J. Meseguer, and C. Muñoz. Rewriting modulo SMT. Technical Memorandum NASA/TM-2013-218033, NASA, Langley Research Center, Hampton VA 23681-2199, USA, August 2013.
35. G. Roşu and A. Ştefănescu. Matching Logic: A New Program Verification Approach (NIER Track). In *ICSE'11: Proceedings of the 30th International Conference on Software Engineering*, pages 868–871. ACM, 2011.
36. M. Veanes, N. Bjørner, and A. Raschke. An SMT approach to bounded reachability analysis of model programs. In *FORTE*, pages 53–68. Springer, 2008.
37. P. Viry. Equational rules for rewriting logic. *TCS*, 285:487–517, 2002.
38. D. Walter, S. Little, and C. Myers. Bounded model checking of analog and mixed-signal circuits using an SMT solver. *Automated Technology for Verification and Analysis*, pages 66–81, 2007.
39. S. Yovine. Kronos: A verification tool for real-time systems. *STTT*, 1(1-2):123–133, 1997.